



November 21, 2024

William Kotas
Intertek PSI
17 British American Boulevard
Latham, NY 12110

RE: Project: HUDSON FALLS CSD COMM POOL
Pace Project No.: 70321589

Dear William Kotas:

Enclosed are the analytical results for sample(s) received by the laboratory on November 07, 2024. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Melville

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in cursive script that reads "Lori Beyer".

Lori A. Beyer
lori.beyer@pacelabs.com
516-370-6014
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CERTIFICATIONS

Project: HUDSON FALLS CSD COMM POOL

Pace Project No.: 70321589

Pace Analytical Services, LLC - Melville, NY

575 Broad Hollow Rd, Melville, NY 11747

Connecticut Certification #: PH-0435

Delaware Certification # NY 10478

Maryland Certification #: 208

Massachusetts Certification #: M-NY026

New Hampshire Certification #: 2987

New Jersey Certification #: NY158

New York Certification #: 10478 Primary Accrediting Body

Pennsylvania Certification #: 68-00350

Rhode Island Certification #: LAO00340

Texas Certification #: T104704582

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE SUMMARY

Project: HUDSON FALLS CSD COMM POOL

Pace Project No.: 70321589

Lab ID	Sample ID	Matrix	Date Collected	Date Received
70321589001	CP-CON	Drinking Water	10/23/24 11:30	11/07/24 07:00
70321589002	CP-WBR-1	Drinking Water	10/23/24 13:50	11/07/24 07:00
70321589003	CP-WBR-2	Drinking Water	10/23/24 13:50	11/07/24 07:00
70321589004	CP-BBRS-2	Drinking Water	10/23/24 13:50	11/07/24 07:00

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: HUDSON FALLS CSD COMM POOL

Pace Project No.: 70321589

Lab ID	Sample ID	Method	Analysts	Analytes Reported
70321589001	CP-CON	EPA 200.8	JP2	1
70321589002	CP-WBR-1	EPA 200.8	JP2	1
70321589003	CP-WBR-2	EPA 200.8	JP2	1
70321589004	CP-BBRS-2	EPA 200.8	JP2	1

PACE-MV = Pace Analytical Services - Melville

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS CSD COMM POOL

Pace Project No.: 70321589

Sample: CP-CON		Lab ID: 70321589001	Collected: 10/23/24 11:30	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/20/24 18:16	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS CSD COMM POOL

Pace Project No.: 70321589

Sample: CP-WBR-1		Lab ID: 70321589002	Collected: 10/23/24 13:50	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/20/24 18:18	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS CSD COMM POOL

Pace Project No.: 70321589

Sample: CP-WBR-2		Lab ID: 70321589003	Collected: 10/23/24 13:50	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/20/24 18:22	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS CSD COMM POOL

Pace Project No.: 70321589

Sample: CP-BBRS-2	Lab ID: 70321589004	Collected: 10/23/24 13:50	Received: 11/07/24 07:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		11/20/24 18:24	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: HUDSON FALLS CSD COMM POOL

Pace Project No.: 70321589

QC Batch:	371739	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville

Associated Lab Samples: 70321589001, 70321589002, 70321589003, 70321589004

METHOD BLANK: 1944635 Matrix: Water
 Associated Lab Samples: 70321589001, 70321589002, 70321589003, 70321589004

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	11/20/24 17:37	

LABORATORY CONTROL SAMPLE: 1944636

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	50.1	100	85-115	

MATRIX SPIKE SAMPLE: 1944638

Parameter	Units	70321585061 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	48.8	98	70-130	

MATRIX SPIKE SAMPLE: 1944641

Parameter	Units	70321585062 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	49.9	100	70-130	

SAMPLE DUPLICATE: 1944637

Parameter	Units	70321585061 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		20	

SAMPLE DUPLICATE: 1944640

Parameter	Units	70321585062 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALIFIERS

Project: HUDSON FALLS CSD COMM POOL

Pace Project No.: 70321589

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: HUDSON FALLS CSD COMM POOL

Pace Project No.: 70321589

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70321589001	CP-CON	EPA 200.8	371739		
70321589002	CP-WBR-1	EPA 200.8	371739		
70321589003	CP-WBR-2	EPA 200.8	371739		
70321589004	CP-BBRS-2	EPA 200.8	371739		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

WO#: 70321589



CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

Pace
Pace Analytical Long Island NY
575 Broad Hollow Rd, Melville, NY 11747

Company Name: Intertek-PSI
Street Address: 17 British American Blvd, Latham, NY 12210

Customer Project #: 08215514
Project Name: HUDSON FALLS CENTRAL SCHOOL DISTRICT

Site Collection Info/Facility ID (as applicable):
Community Pool

Time Zone Collected: [] AK [] PT [] MT [] CT [X] ET
Data Deliverables: [] Level II [] Level III [] Level IV [] EQUIS [] Other

Rush (Pre-approval required):
[] 2 Day [] 3 day [] 5 day [] Other
Date Results Requested: Standard 10 business day

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Other (OT), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk

Contact/Report To: **William Kotas**
Phone #: (518) 377-9841
E-Mail: william.kotas@intertek.com
Cc E-Mail:

Invoice To: **PSI Latham Accounts Payable**
Invoice E-Mail: LathamAR@intertek.com

Purchase Order # (if applicable):
Quote #: CR-BOCES RCO #23-057
Country / State origin of sample(s): **New York**

Regulatory Program (DW, RCRA, etc.) as applicable: NY Lead in School DW
DW PWSID # or WW Permit # as applicable:
Field Filtered (if applicable): [] Yes [] No

Analysis:
Number & Type of Containers:
Plastic: 1
Glass:

Specify Container Size **
*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Identify Container Preservative Type ***
Analysis Requested
Lab Use Only
Proj. Mgr: **Lori Bejer**
Account / Client ID: **AR 70-102260**
Table #: **10367**
Profile / Template:
Preleg / Bottle Ord. ID:

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start) Date	Time	Composite End Date	Time	Res. CL2	Number & Type of Containers	Plastic	Glass	Sample Comment
CP-CON	DW	G	10/23/24	11:30AM				1			X
CP-WBR-1			10/23/24	1:50 PM							
CP-WBR-2			10/23/24	1:50 PM							
CP-BBRS-2			10/23/24	1:50 PM							

Additional Instructions from Pace*:
Coolers: Thermometer ID: Correction Factor (°C): Obs. Temp. (°C) Corrected Temp. (°C)
Date/Time: 11/7/24 10:45
Date/Time: 11/7/24 7:00
Date/Time:
Delivered by: [] In-Person [] Courier [] FedEx [] UPS [] Other
Page: 1 of 2

Collected By: **Richard Paszkiewicz**
Printed Name: Richard Paszkiewicz
Signature:
Received by/Company: **Pace**
Date/Time: 11/6/24 10:45am
Received by/Company: **Richard Paszkiewicz**
Date/Time: 11/6/24 10:45am
Received by/Company: **William Bejer**
Date/Time: 11/6/24 10:45am
Received by/Company: **Richard Paszkiewicz**
Date/Time: 11/6/24 10:45am

Effective Date:

Client Name: INTER-LATHAM

Project

WO#: 70321589

PM: LAB

Due Date: 11/21/24

Courier: Fed Ex UPS USPS Client Commercial Parcel Other

CLIENT: INTER-LATHAM

Tracking #:

Custody Seal on Cooler/Box Present: Yes No Seals intact: Yes No Temperature Blank Present: Yes No

Packing Material: Bubble Wrap Bubble Bags Ziploc Non€ Other Type of Ice: Wet Blue None

Thermometer Used: TH211 Correction Factor: +0.3 Samples on ice, cooling process has begun
Cooler Temperature (°C): 14.4 Cooler Temperature Corrected (°C): 14.7 Date/Time 5035A kits placed in freezer

Temp should be above freezing to 6.0°C

USDA Regulated Soil (N/A, water sample)

Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX, or VA (check map)? Yes No

Did samples originate from a foreign source including Hawaii and Puerto Rico? Yes No

If Yes to either question, fill out a Regulated Soil Checklist (ENV-FRM-MELV-0076) and include with SCUR/COC paperwork.

Date and Initials of person examining contents: 11/22/24 CT

	COMMENTS:
Chain of Custody Present: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	1.
Chain of Custody Filled Out: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	2.
Chain of Custody Relinquished: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	3.
Sampler Name & Signature on COC: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
Short Hold Time Analysis (<72hr): <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume: (Triple volume provided for MS/MSD) <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	8.
Correct Containers Used: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Containers Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	11.
Filtered volume received for Dissolved tests <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11. Note: if sediment is visible in the dissolved container.
Sample Labels match COC: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	12.
-Includes date/time/ID/Analysis Matrix: SL WT OIL OTHER	

Date and Initials of person checking preservation: 11/22/24 CT

All containers needing preservation have been <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13. <input type="checkbox"/> HNO ₃ <input type="checkbox"/> H ₂ SO ₄ <input type="checkbox"/> NaOH <input type="checkbox"/> HCl
pH paper Lot # <u>205324</u>	Sample #
All containers needing preservation are found to be in compliance with method recommendation? (HNO ₃ , H ₂ SO ₄ , HCl, NaOH>9 Sulfide, NAOH>12 Cyanide) <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Initial when completed: Lot # of added preservative: Date/Time preservative added:
Exceptions: VOA, Coliform, TOC/DOC, Oil and Grease, DRO/8015 (water). Per Method, VOA pH is checked after analysis	
Samples checked for dechlorination: <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14. Positive for Res. Chlorine? Y N
KI starch test strips Lot #	
Residual chlorine strips Lot #	15. Positive for Sulfide? Y N
SM 4500 CN samples checked for sul <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Lead Acetate Strips Lot #	
Headspace in ALK Bottle (>6mm): <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	16.
Headspace in VOA Vials (>6mm): <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Trip Blank Present: <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	17.
Trip Blank Custody Seals Present <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	

Client Notification/ Resolution:

Field Data Required? Y / N

Person Contacted:

Date/Time:

Comments/ Resolution:

* PM (Project Manager) review (which includes the SCUR) is documented electronically in LIMS.