



November 22, 2024

William Kotas
Intertek PSI
17 British American Boulevard
Latham, NY 12110

RE: Project: HUDSON FALLS CSD HIGH SCHOOL
Pace Project No.: 70321595

Dear William Kotas:

Enclosed are the analytical results for sample(s) received by the laboratory on November 07, 2024. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Melville

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Lori A. Beyer
lori.beyer@pacelabs.com
516-370-6014
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CERTIFICATIONS

Project: HUDSON FALLS CSD HIGH SCHOOL

Pace Project No.: 70321595

Pace Analytical Services, LLC - Melville, NY

575 Broad Hollow Rd, Melville, NY 11747

Connecticut Certification #: PH-0435

Delaware Certification # NY 10478

Maryland Certification #: 208

Massachusetts Certification #: M-NY026

New Hampshire Certification #: 2987

New Jersey Certification #: NY158

New York Certification #: 10478 Primary Accrediting Body

Pennsylvania Certification #: 68-00350

Rhode Island Certification #: LAO00340

Texas Certification #: T104704582

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

**SAMPLE SUMMARY**

Project: HUDSON FALLS CSD HIGH SCHOOL

Pace Project No.: 70321595

Lab ID	Sample ID	Matrix	Date Collected	Date Received
70321595001	HS-A-DF	Drinking Water	11/01/24 06:20	11/07/24 07:00
70321595002	HS-LIB -1	Drinking Water	11/01/24 06:25	11/07/24 07:00
70321595003	HS-LIB -2	Drinking Water	11/01/24 06:25	11/07/24 07:00
70321595004	HS-AUD-DF-2	Drinking Water	11/01/24 06:25	11/07/24 07:00
70321595005	HS-B-DF	Drinking Water	11/01/24 06:30	11/07/24 07:00
70321595006	HS-B-DF-BF	Drinking Water	11/01/24 06:30	11/07/24 07:00
70321595007	HS-C-DF	Drinking Water	11/01/24 06:35	11/07/24 07:00
70321595008	HS-S-DF-2	Drinking Water	11/01/24 06:35	11/07/24 07:00
70321595009	HS-DF -2	Drinking Water	11/01/24 06:35	11/07/24 07:00
70321595010	HS-DF -1	Drinking Water	11/01/24 06:35	11/07/24 07:00
70321595011	HS-BS	Drinking Water	11/01/24 07:00	11/07/24 07:00
70321595012	HS-NUS-SINK	Drinking Water	11/01/24 06:30	11/07/24 07:00
70321595013	HS-A- DF-BF	Drinking Water	11/01/24 06:20	11/07/24 07:00
70321595014	HS-FAC-1	Drinking Water	11/01/24 06:30	11/07/24 07:00
70321595015	HS-FAC-2	Drinking Water	11/01/24 06:30	11/07/24 07:00
70321595016	HS-DO-BR	Drinking Water	11/01/24 06:10	11/07/24 07:00
70321595017	HS-ORCH	Drinking Water	11/01/24 06:15	11/07/24 07:00
70321595018	HS-BAND-1	Drinking Water	11/01/24 06:15	11/07/24 07:00
70321595019	HS-BAND-DF	Drinking Water	11/01/24 11:00	11/07/24 07:00
70321595020	HS-H-1	Drinking Water	11/01/24 06:45	11/07/24 07:00
70321595021	HS-H-2	Drinking Water	11/01/24 06:45	11/07/24 07:00
70321595022	HS-H-3	Drinking Water	11/01/24 06:45	11/07/24 07:00
70321595023	HS-H-4	Drinking Water	11/01/24 06:45	11/07/24 07:00
70321595024	HS-H-5	Drinking Water	11/01/24 06:45	11/07/24 07:00
70321595025	HS-KIT	Drinking Water	11/01/24 10:30	11/07/24 07:00
70321595026	HS-KIT 2	Drinking Water	11/01/24 10:30	11/07/24 07:00
70321595027	HS-H-6	Drinking Water	11/01/24 06:45	11/07/24 07:00
70321595028	HS-KIT-3	Drinking Water	11/01/24 10:30	11/07/24 07:00
70321595029	HS-KIT-4	Drinking Water	11/01/24 10:30	11/07/24 07:00
70321595030	HS-KIT-5	Drinking Water	11/01/24 10:30	11/07/24 07:00
70321595031	HS-KIT-HS	Drinking Water	11/01/24 10:30	11/07/24 07:00
70321595032	HS-KIT-BR	Drinking Water	11/01/24 10:30	11/07/24 07:00
70321595033	HS-C	Drinking Water	11/01/24 06:50	11/07/24 07:00
70321595034	HS-DFBF	Drinking Water	11/01/24 06:40	11/07/24 07:00
70321595035	HS-C-DFBF	Drinking Water	11/01/24 06:35	11/07/24 07:00
70321595036	HS-NUS-1	Drinking Water	11/01/24 06:30	11/07/24 07:00
70321595037	HS-NUS-2	Drinking Water	11/01/24 06:30	11/07/24 07:00

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE SUMMARY

Project: HUDSON FALLS CSD HIGH SCHOOL

Pace Project No.: 70321595

Lab ID	Sample ID	Matrix	Date Collected	Date Received
70321595038	HS-DF	Drinking Water	11/01/24 06:40	11/07/24 07:00
70321595039	HS-F DF	Drinking Water	11/01/24 06:40	11/07/24 07:00
70321595040	HS-F DF BF	Drinking Water	11/01/24 06:40	11/07/24 07:00

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

**SAMPLE ANALYTE COUNT**

Project: HUDSON FALLS CSD HIGH SCHOOL

Pace Project No.: 70321595

Lab ID	Sample ID	Method	Analysts	Analytes Reported
70321595001	HS-A-DF	EPA 200.8	JP2	1
70321595002	HS-LIB -1	EPA 200.8	JP2	1
70321595003	HS-LIB -2	EPA 200.8	JP2	1
70321595004	HS-AUD-DF-2	EPA 200.8	JP2	1
70321595005	HS-B-DF	EPA 200.8	JP2	1
70321595006	HS-B-DF-BF	EPA 200.8	JP2	1
70321595007	HS-C-DF	EPA 200.8	JP2	1
70321595008	HS-S-DF-2	EPA 200.8	JP2	1
70321595009	HS-DF -2	EPA 200.8	JP2	1
70321595010	HS-DF -1	EPA 200.8	JP2	1
70321595011	HS-BS	EPA 200.8	JP2	1
70321595012	HS-NUS-SINK	EPA 200.8	JP2	1
70321595013	HS-A- DF-BF	EPA 200.8	JP2	1
70321595014	HS-FAC-1	EPA 200.8	JP2	1
70321595015	HS-FAC-2	EPA 200.8	JP2	1
70321595016	HS-DO-BR	EPA 200.8	JP2	1
70321595017	HS-ORCH	EPA 200.8	JP2	1
70321595018	HS-BAND-1	EPA 200.8	JJS	1
70321595019	HS-BAND-DF	EPA 200.8	JJS	1
70321595020	HS-H-1	EPA 200.8	JP2	1
70321595021	HS-H-2	EPA 200.8	JP2	1
70321595022	HS-H-3	EPA 200.8	JP2	1
70321595023	HS-H-4	EPA 200.8	JP2	1
70321595024	HS-H-5	EPA 200.8	JP2	1
70321595025	HS-KIT	EPA 200.8	JP2	1
70321595026	HS-KIT 2	EPA 200.8	JP2	1
70321595027	HS-H-6	EPA 200.8	JP2	1
70321595028	HS-KIT-3	EPA 200.8	JP2	1
70321595029	HS-KIT-4	EPA 200.8	JP2	1
70321595030	HS-KIT-5	EPA 200.8	JP2	1
70321595031	HS-KIT-HS	EPA 200.8	JP2	1
70321595032	HS-KIT-BR	EPA 200.8	JP2	1
70321595033	HS-C	EPA 200.8	JP2	1
70321595034	HS-DFBF	EPA 200.8	JP2	1
70321595035	HS-C-DFBF	EPA 200.8	JP2	1
70321595036	HS-NUS-1	EPA 200.8	JP2	1
70321595037	HS-NUS-2	EPA 200.8	JP2	1

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: HUDSON FALLS CSD HIGH SCHOOL

Pace Project No.: 70321595

Lab ID	Sample ID	Method	Analysts	Analytes Reported
70321595038	HS-DF	EPA 200.8	JP2	1
70321595039	HS-F DF	EPA 200.8	JP2	1
70321595040	HS-F DF BF	EPA 200.8	JP2	1

PACE-MV = Pace Analytical Services - Melville

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS CSD HIGH SCHOOL

Pace Project No.: 70321595

Sample: HS-A-DF		Lab ID: 70321595001	Collected: 11/01/24 06:20	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/20/24 22:49	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS CSD HIGH SCHOOL

Pace Project No.: 70321595

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Sample: HS-LIB -1								
Lab ID: 70321595002								
Collected: 11/01/24 06:25								
Received: 11/07/24 07:00								
Matrix: Drinking Water								
200.8 MET ICPMS Drinking Water								
Analytical Method: EPA 200.8								
Pace Analytical Services - Melville								
Lead	4.5	ug/L	1.0	1		11/20/24 22:50	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS CSD HIGH SCHOOL

Pace Project No.: 70321595

Sample: HS-LIB -2		Lab ID: 70321595003	Collected: 11/01/24 06:25	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/20/24 22:52	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS CSD HIGH SCHOOL

Pace Project No.: 70321595

Sample: HS-AUD-DF-2		Lab ID: 70321595004	Collected: 11/01/24 06:25	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.4	ug/L	1.0	1		11/20/24 22:53	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS CSD HIGH SCHOOL

Pace Project No.: 70321595

Sample: HS-B-DF		Lab ID: 70321595005	Collected: 11/01/24 06:30	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/20/24 22:55	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS CSD HIGH SCHOOL

Pace Project No.: 70321595

Sample: HS-B-DF-BF		Lab ID: 70321595006	Collected: 11/01/24 06:30	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/20/24 22:57	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS CSD HIGH SCHOOL

Pace Project No.: 70321595

Sample: HS-C-DF		Lab ID: 70321595007	Collected: 11/01/24 06:35	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/20/24 22:58	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS CSD HIGH SCHOOL

Pace Project No.: 70321595

Sample: HS-S-DF-2		Lab ID: 70321595008	Collected: 11/01/24 06:35	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/20/24 23:00	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS CSD HIGH SCHOOL

Pace Project No.: 70321595

Sample: HS-DF -2		Lab ID: 70321595009	Collected: 11/01/24 06:35	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/20/24 23:04	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS CSD HIGH SCHOOL

Pace Project No.: 70321595

Sample: HS-DF -1		Lab ID: 70321595010	Collected: 11/01/24 06:35	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/20/24 23:06	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS CSD HIGH SCHOOL

Pace Project No.: 70321595

Sample: HS-BS		Lab ID: 70321595011	Collected: 11/01/24 07:00	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/20/24 23:08	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS CSD HIGH SCHOOL

Pace Project No.: 70321595

Sample: HS-NUS-SINK		Lab ID: 70321595012	Collected: 11/01/24 06:30	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	7.1	ug/L	1.0	1		11/20/24 23:09	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS CSD HIGH SCHOOL

Pace Project No.: 70321595

Sample: HS-A- DF-BF		Lab ID: 70321595013	Collected: 11/01/24 06:20	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/20/24 23:11	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS CSD HIGH SCHOOL

Pace Project No.: 70321595

Sample: HS-FAC-1		Lab ID: 70321595014	Collected: 11/01/24 06:30	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/20/24 23:12	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS CSD HIGH SCHOOL

Pace Project No.: 70321595

Sample: HS-FAC-2		Lab ID: 70321595015	Collected: 11/01/24 06:30	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	4.0	ug/L	1.0	1		11/20/24 23:14	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS CSD HIGH SCHOOL

Pace Project No.: 70321595

Sample: HS-DO-BR		Lab ID: 70321595016	Collected: 11/01/24 06:10	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/20/24 23:16	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS CSD HIGH SCHOOL

Pace Project No.: 70321595

Sample: HS-ORCH		Lab ID: 70321595017	Collected: 11/01/24 06:15	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/20/24 23:17	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS CSD HIGH SCHOOL

Pace Project No.: 70321595

Sample: HS-BAND-1	Lab ID: 70321595018	Collected: 11/01/24 06:15	Received: 11/07/24 07:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		11/21/24 12:05	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS CSD HIGH SCHOOL

Pace Project No.: 70321595

Sample: HS-BAND-DF		Lab ID: 70321595019	Collected: 11/01/24 11:00	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	5.3	ug/L	1.0	1		11/21/24 12:11	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS CSD HIGH SCHOOL

Pace Project No.: 70321595

Sample: HS-H-1		Lab ID: 70321595020	Collected: 11/01/24 06:45	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	2.5	ug/L	1.0	1		11/21/24 14:26	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS CSD HIGH SCHOOL

Pace Project No.: 70321595

Sample: HS-H-2		Lab ID: 70321595021	Collected: 11/01/24 06:45	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	2.9	ug/L	1.0	1		11/21/24 14:31	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS CSD HIGH SCHOOL

Pace Project No.: 70321595

Sample: HS-H-3	Lab ID: 70321595022	Collected: 11/01/24 06:45	Received: 11/07/24 07:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	3.4	ug/L	1.0	1		11/21/24 14:38	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS CSD HIGH SCHOOL

Pace Project No.: 70321595

Sample: HS-H-4		Lab ID: 70321595023	Collected: 11/01/24 06:45	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	2.0	ug/L	1.0	1		11/21/24 14:40	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS CSD HIGH SCHOOL

Pace Project No.: 70321595

Sample: HS-H-5		Lab ID: 70321595024	Collected: 11/01/24 06:45	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.5	ug/L	1.0	1		11/21/24 14:42	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS CSD HIGH SCHOOL

Pace Project No.: 70321595

Sample: HS-KIT		Lab ID: 70321595025	Collected: 11/01/24 10:30	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/21/24 14:43	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS CSD HIGH SCHOOL

Pace Project No.: 70321595

Sample: HS-KIT 2		Lab ID: 70321595026	Collected: 11/01/24 10:30	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/21/24 14:45	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS CSD HIGH SCHOOL

Pace Project No.: 70321595

Sample: HS-H-6		Lab ID: 70321595027	Collected: 11/01/24 06:45	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.7	ug/L	1.0	1		11/21/24 14:46	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS CSD HIGH SCHOOL

Pace Project No.: 70321595

Sample: HS-KIT-3		Lab ID: 70321595028	Collected: 11/01/24 10:30	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/21/24 14:48	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS CSD HIGH SCHOOL

Pace Project No.: 70321595

Sample: HS-KIT-4		Lab ID: 70321595029	Collected: 11/01/24 10:30	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/21/24 14:50	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS CSD HIGH SCHOOL

Pace Project No.: 70321595

Sample: HS-KIT-5	Lab ID: 70321595030	Collected: 11/01/24 10:30	Received: 11/07/24 07:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		11/21/24 14:51	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS CSD HIGH SCHOOL

Pace Project No.: 70321595

Sample: HS-KIT-HS		Lab ID: 70321595031	Collected: 11/01/24 10:30	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/21/24 14:56	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS CSD HIGH SCHOOL

Pace Project No.: 70321595

Sample: HS-KIT-BR		Lab ID: 70321595032	Collected: 11/01/24 10:30	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.1	ug/L	1.0	1		11/21/24 14:57	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS CSD HIGH SCHOOL

Pace Project No.: 70321595

Sample: HS-C		Lab ID: 70321595033	Collected: 11/01/24 06:50	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	4.5	ug/L	1.0	1		11/21/24 14:59	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS CSD HIGH SCHOOL

Pace Project No.: 70321595

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Sample: HS-DFBF								
Lab ID: 70321595034								
Collected: 11/01/24 06:40								
Received: 11/07/24 07:00								
Matrix: Drinking Water								
200.8 MET ICPMS Drinking Water								
Analytical Method: EPA 200.8								
Pace Analytical Services - Melville								
Lead	<1.0	ug/L	1.0	1		11/21/24 15:16	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS CSD HIGH SCHOOL

Pace Project No.: 70321595

Sample: HS-C-DFBF		Lab ID: 70321595035	Collected: 11/01/24 06:35	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/21/24 15:20	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS CSD HIGH SCHOOL

Pace Project No.: 70321595

Sample: HS-NUS-1	Lab ID: 70321595036	Collected: 11/01/24 06:30	Received: 11/07/24 07:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	3.0	ug/L	1.0	1		11/21/24 15:25	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS CSD HIGH SCHOOL

Pace Project No.: 70321595

Sample: HS-NUS-2		Lab ID: 70321595037	Collected: 11/01/24 06:30	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	2.3	ug/L	1.0	1		11/21/24 15:26	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS CSD HIGH SCHOOL

Pace Project No.: 70321595

Sample: HS-DF	Lab ID: 70321595038	Collected: 11/01/24 06:40	Received: 11/07/24 07:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		11/21/24 15:28	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS CSD HIGH SCHOOL

Pace Project No.: 70321595

Sample: HS-F DF		Lab ID: 70321595039	Collected: 11/01/24 06:40	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/21/24 15:32	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS CSD HIGH SCHOOL

Pace Project No.: 70321595

Sample: HS-F DF BF		Lab ID: 70321595040	Collected: 11/01/24 06:40	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/21/24 15:34	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: HUDSON FALLS CSD HIGH SCHOOL

Pace Project No.: 70321595

QC Batch: 371766

Analysis Method: EPA 200.8

QC Batch Method: EPA 200.8

Analysis Description: 200.8 MET No Prep Drinking Water

Laboratory: Pace Analytical Services - Melville

Associated Lab Samples: 70321595001, 70321595002, 70321595003, 70321595004, 70321595005, 70321595006, 70321595007, 70321595008, 70321595009, 70321595010, 70321595011, 70321595012, 70321595013, 70321595014, 70321595015, 70321595016, 70321595017

METHOD BLANK: 1944757

Matrix: Water

Associated Lab Samples: 70321595001, 70321595002, 70321595003, 70321595004, 70321595005, 70321595006, 70321595007, 70321595008, 70321595009, 70321595010, 70321595011, 70321595012, 70321595013, 70321595014, 70321595015, 70321595016, 70321595017

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	11/20/24 22:32	

LABORATORY CONTROL SAMPLE: 1944758

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	50.5	101	85-115	

MATRIX SPIKE SAMPLE: 1944760

Parameter	Units	70321594044 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	50.1	100	70-130	

MATRIX SPIKE SAMPLE: 1944762

Parameter	Units	70321594045 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	48.4	97	70-130	

SAMPLE DUPLICATE: 1944759

Parameter	Units	70321594044 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		20	

SAMPLE DUPLICATE: 1944761

Parameter	Units	70321594045 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: HUDSON FALLS CSD HIGH SCHOOL

Pace Project No.: 70321595

QC Batch: 371952

Analysis Method: EPA 200.8

QC Batch Method: EPA 200.8

Analysis Description: 200.8 MET No Prep Drinking Water

Laboratory: Pace Analytical Services - Melville

Associated Lab Samples: 70321595018, 70321595019

METHOD BLANK: 1946110

Matrix: Water

Associated Lab Samples: 70321595018, 70321595019

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	11/21/24 12:02	

LABORATORY CONTROL SAMPLE: 1946111

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	50.9	102	85-115	

MATRIX SPIKE SAMPLE: 1946114

Parameter	Units	70321595018 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	51.5	102	70-130	

MATRIX SPIKE SAMPLE: 1946116

Parameter	Units	70321595019 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	5.3	50	56.0	101	70-130	

SAMPLE DUPLICATE: 1946113

Parameter	Units	70321595018 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		20	

SAMPLE DUPLICATE: 1946115

Parameter	Units	70321595019 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	5.3	5.4	2	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: HUDSON FALLS CSD HIGH SCHOOL

Pace Project No.: 70321595

QC Batch:	372015	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70321595020, 70321595021, 70321595022, 70321595023, 70321595024, 70321595025, 70321595026, 70321595027, 70321595028, 70321595029, 70321595030, 70321595031, 70321595032, 70321595033		

METHOD BLANK:	1946614	Matrix:	Water
Associated Lab Samples:	70321595020, 70321595021, 70321595022, 70321595023, 70321595024, 70321595025, 70321595026, 70321595027, 70321595028, 70321595029, 70321595030, 70321595031, 70321595032, 70321595033		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	11/21/24 14:23	

LABORATORY CONTROL SAMPLE: 1946615						
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	50.3	101	85-115	

MATRIX SPIKE SAMPLE: 1946617							
Parameter	Units	70321595020 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	2.5	50	52.3	100	70-130	

MATRIX SPIKE SAMPLE: 1946619							
Parameter	Units	70321595021 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	2.9	50	53.4	101	70-130	

SAMPLE DUPLICATE: 1946616						
Parameter	Units	70321595020 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	2.5	2.6	2	20	

SAMPLE DUPLICATE: 1946618						
Parameter	Units	70321595021 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	2.9	2.8	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: HUDSON FALLS CSD HIGH SCHOOL

Pace Project No.: 70321595

QC Batch:	372046	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville

Associated Lab Samples: 70321595034, 70321595035, 70321595036, 70321595037, 70321595038, 70321595039, 70321595040

METHOD BLANK: 1946837 Matrix: Water

Associated Lab Samples: 70321595034, 70321595035, 70321595036, 70321595037, 70321595038, 70321595039, 70321595040

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	11/21/24 15:10	

LABORATORY CONTROL SAMPLE: 1946838

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	50.7	101	85-115	

MATRIX SPIKE SAMPLE: 1946840

Parameter	Units	70321595034 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	50.5	101	70-130	

MATRIX SPIKE SAMPLE: 1946842

Parameter	Units	70321595035 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	51.4	103	70-130	

SAMPLE DUPLICATE: 1946839

Parameter	Units	70321595034 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		20	

SAMPLE DUPLICATE: 1946841

Parameter	Units	70321595035 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALIFIERS

Project: HUDSON FALLS CSD HIGH SCHOOL

Pace Project No.: 70321595

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: HUDSON FALLS CSD HIGH SCHOOL
 Pace Project No.: 70321595

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70321595001	HS-A-DF	EPA 200.8	371766		
70321595002	HS-LIB -1	EPA 200.8	371766		
70321595003	HS-LIB -2	EPA 200.8	371766		
70321595004	HS-AUD-DF-2	EPA 200.8	371766		
70321595005	HS-B-DF	EPA 200.8	371766		
70321595006	HS-B-DF-BF	EPA 200.8	371766		
70321595007	HS-C-DF	EPA 200.8	371766		
70321595008	HS-S-DF-2	EPA 200.8	371766		
70321595009	HS-DF -2	EPA 200.8	371766		
70321595010	HS-DF -1	EPA 200.8	371766		
70321595011	HS-BS	EPA 200.8	371766		
70321595012	HS-NUS-SINK	EPA 200.8	371766		
70321595013	HS-A- DF-BF	EPA 200.8	371766		
70321595014	HS-FAC-1	EPA 200.8	371766		
70321595015	HS-FAC-2	EPA 200.8	371766		
70321595016	HS-DO-BR	EPA 200.8	371766		
70321595017	HS-ORCH	EPA 200.8	371766		
70321595018	HS-BAND-1	EPA 200.8	371952		
70321595019	HS-BAND-DF	EPA 200.8	371952		
70321595020	HS-H-1	EPA 200.8	372015		
70321595021	HS-H-2	EPA 200.8	372015		
70321595022	HS-H-3	EPA 200.8	372015		
70321595023	HS-H-4	EPA 200.8	372015		
70321595024	HS-H-5	EPA 200.8	372015		
70321595025	HS-KIT	EPA 200.8	372015		
70321595026	HS-KIT 2	EPA 200.8	372015		
70321595027	HS-H-6	EPA 200.8	372015		
70321595028	HS-KIT-3	EPA 200.8	372015		
70321595029	HS-KIT-4	EPA 200.8	372015		
70321595030	HS-KIT-5	EPA 200.8	372015		
70321595031	HS-KIT-HS	EPA 200.8	372015		
70321595032	HS-KIT-BR	EPA 200.8	372015		
70321595033	HS-C	EPA 200.8	372015		
70321595034	HS-DFBF	EPA 200.8	372046		
70321595035	HS-C-DFBF	EPA 200.8	372046		
70321595036	HS-NUS-1	EPA 200.8	372046		
70321595037	HS-NUS-2	EPA 200.8	372046		
70321595038	HS-DF	EPA 200.8	372046		
70321595039	HS-F DF	EPA 200.8	372046		
70321595040	HS-F DF BF	EPA 200.8	372046		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



Pace® Location Requested (City/State):
Pace Analytical Long Island NY
575 Broad Hollow Rd, Melville, NY 11747

Company Name: Intertek-PSI
Street Address: 17 British American Blvd, Latham, NY 12210

Customer Project #: 08215514
Project Name: HUDSON FALLS CENTRAL SCHOOL DISTRICT

Site Collection Info/Facility ID (as applicable):
Hiam School

Time Zone Collected: [] AK [] MT [] PT [] CT [X] ET
Data Deliverables:

[] Level II [] Level III [] Level IV
[] EQUIS
[] Other

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Other (OT), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

Contact/Report To: William Kotas
Phone #: (518) 377-9841
E-Mail: william.kotas@intertek.com
Cc E-Mail:

Invoice To: PSI Latham Accounts Payable
Invoice E-Mail: LathamAR@intertek.com

Purchase Order # (if applicable):
Quote #: CR-BOCES RCO #23-057

County / State of sample(s): New York

Regulatory Program (DW, RCRA, etc.) as applicable: NY Lead in School DW
Rush (Pre-approval required):
[] 2 Day [] 3 day [] 5 day [] Other
Date Results Requested: Standard 10 business day
Field Filtered (if applicable): [] Yes [] No
Analysis:

DW PWSID # or WW Permit # as applicable:
Analysis:

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start)		Composite End		Res. CL2	Number & Type of Containers	
			Date	Time	Date	Time		Plastic	Glass
HS-A-DF	DW	G	11/1/24	6:20				1	
HS-Lib-1			11/1/24	6:25					
HS-Lib-2			11/1/24	6:25					
HS-AUD-DF-2			11/1/24	6:35					
HS-B-DF			11/1/24	6:30					
HS-B-DF-BF			11/1/24	6:35					
HS-C-DF			11/1/24	6:35					
HS-S-DF-2			11/1/24	6:35					
HS-DF-2			11/1/24	6:35					
HS-DF-1			11/1/24	6:35					

Customer Remarks / Special Conditions / Possible Hazards:
Lead

Collected By: Richard Paszkiewicz
Printed Name: Richard Paszkiewicz
Signature:

Received by/Company (Signature):
Date/Time: 11/6/24 10:45am
Received by/Company (Signature):
Date/Time: 11/7/24 7:00
Received by/Company (Signature):
Date/Time:
Received by/Company (Signature):
Date/Time:

Received by/Company (Signature):
Date/Time: 11/6/24 10:45am
Received by/Company (Signature):
Date/Time: 11/7/24 7:00
Received by/Company (Signature):
Date/Time:
Received by/Company (Signature):
Date/Time:

Tracking Number: 116 JAYS
Delivered by: [] In-Person [] Courier
[] FedEx [] UPS [] Other
Date/Time: 11/7/24 7:00
Page: 1 of 4

WO#: 70321595

70321595

Specify Container Size **
**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) Encore, (8) TerraCore, (9) Other
Identify Container Preservative Type***
*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other
Analysis Requested

Lab Use Only
Table #:
AR 70-102260
Profile / Template:
10367
Prelog / Bottle Ord. ID:
Proj. Mgr:
Lori Beyer
AcctNum / Client ID:
AR 70-102260
Sample Comment
Preservation non-conformance identified for sample.



Pace* Location Requested (City/State):
Pace Analytical Long Island NY
575 Broad Hollow Rd, Melville, NY 11747

Company Name: **Intertek-PSI**
Street Address: **17 British American Blvd, Latham, NY 12210**

Contact/Report To: **William Kotas**
Phone #: **(518) 377-9841**
E-Mail: william.kotas@intertek.com
Cc E-Mail:

Customer Project #: **08215514**
Project Name: **HUDSON FALLS CENTRAL SCHOOL DISTRICT**

Invoice To: **PSI Latham Accounts Payable**
Invoice E-Mail: LathamAR@intertek.com

Site Collection Info/Facility ID (as applicable):
High School

Purchase Order # (if applicable):
Quote #: **CR-BOCES RCO #23-057**

Time Zone Collected: JAK JPT JMT JCT JET
Data Deliverables:
 Level II Level III Level IV
 EQUIS
 Other

Regulatory Program (DW, RCRA, etc.) as applicable: **NY Lead in School DW**

Rush (Pre-approval required):
 1-2 Day 3-5 Day 5-7 Day Other
Date Results Requested: **Standard 10 business day**
Field Filtered (if applicable): Yes No
Analysis:

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Biosassay (B), Vapor (V), Other (OT), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start)		Composite End		Res. CL2	Number & Type of Containers		Additional Instructions from Pace*
			Date	Time	Date	Time		Plastic	Glass	
HS-B5	DW	G	11/1/24	7:00AM				1	X	200.8 Drinking Water (Pb only)
HS-NUS-SICK			11/1/24	6:30						
HS-A-DF-BF			11/1/24	6:20						
HS-FAC-1			11/1/24	6:30						
HS-FAC-2			11/1/24	6:30						
HS-DO-BR			11/1/24	6:10						
HS-ORCH			11/1/24	6:15						
HS-BAND-1			11/1/24	6:15						
HS-BAND-DF			11/1/24	11:00						
HS-H-1			11/1/24	6:45						

Customer Remarks / Special Conditions / Possible Hazards:
Lead

Collected By: **Richard Paszkiewicz**
Printed Name: Richard Paszkiewicz
Signature:

Relinquished by/Company (Signature)	Date/Time	Relinquished by/Company (Signature)	Date/Time	Relinquished by/Company (Signature)	Date/Time	Relinquished by/Company (Signature)	Date/Time
<i>[Signature]</i>	11/6/24 10:45AM	<i>[Signature]</i>	11/6/24 10:45	<i>[Signature]</i>	11/7/24 700	<i>[Signature]</i>	11/7/24 700
<i>[Signature]</i>		<i>[Signature]</i>		<i>[Signature]</i>		<i>[Signature]</i>	
<i>[Signature]</i>		<i>[Signature]</i>		<i>[Signature]</i>		<i>[Signature]</i>	
<i>[Signature]</i>		<i>[Signature]</i>		<i>[Signature]</i>		<i>[Signature]</i>	

WO#: 70321595
PM: LAB Due Date: **11/21/24**
CLIENT: INTER-LATHAM

Specify Container Size **
225mL, (5) 100mL, (6) 40mL vial, (7) Encore, (8) TerraCore, (9) Other
Identify Container Preservative Type***
*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Analysis Requested
Proj. Mgr: **Lori Beyer**
AcctNum / Client ID: **AR 70-102260**
Table #: **10367**
Profile / Template:
10367
Prelag / Bottle Ord. ID:

Lab Use Only
Preservation non-conformance identified for sample.
Sample Comment

Coolers: Thermometer ID: Obs. Temp. (°C) Correction Factor (°C) Corrected Temp. (°C)

Additional Instructions from Pace*:
Tracking Number:
Delivered by: In-Person Courier
 FedEx UPS Other

Date/Time: **11/6/24 10:45**
Date/Time: **11/7/24 700**
Date/Time:
Date/Time:

Page: **2** of **4**

Company Name: **Intertek-PSI**
 Street Address: **17 British American Blvd, Latham, NY 12210**

Customer Project #: **08215514**
 Project Name: **HUDSON FALLS CENTRAL SCHOOL DISTRICT**

Site Collection Info/Facility ID (as applicable):
High School

Time Zone Collected: [] AK [] PT [] MT [] CT [X] ET
 Data Deliverables:
 [] Level II [] Level III [] Level IV
 [] EQUIS
 [] Other _____

Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Biossassy (B), Vapor (V), Other (OT), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk

Contact/Report To: **William Kotas**
 Phone #: **(518) 377-9841**
 E-Mail: william.kotas@intertek.com
 Cc E-Mail:

Invoice To: **PSI Latham Accounts Payable**
 Invoice E-Mail: LathamAR@intertek.com

Purchase Order # (if applicable):
 Quote #: **CR-BOCES RCO #23-057**

Country / State origin of sample(s): **New York**

Regulatory Program (DW, RCRA, etc.) as applicable: **NY Lead in School DW**

Rush (Pre-approval required):
 [] 2 Day [] 3 day [] 5 day [] Other _____
 Date Results Requested: **Standard 10 business day**

Field Filtered (if applicable): [] Yes [] No

200.8 Drinking Water (Pb only)

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start)		Composite End	Res. CL2	Number & Type of Containers	
			Date	Time			Date	Time
HS-H-2	DW	G	11/24	6:45 AM			1	
HS-H-3			11/24	6:45				
HS-H-4			11/24	6:45				
HS-H-5			11/24	6:45				
HS-KIT			11/24	10:30				
HS-KIT-2			11/24	10:30				
HS-H-6			11/24	6:45				
HS-KIT-3			11/24	10:30				
HS-KIT-4			11/24	10:30				
HS-KIT-5			11/24	10:30				

Additional Instructions from Pace*:
 # Coolers: Thermometer ID: Correction Factor (°C): Obs. Temp. (°C) Corrected Temp. (°C)

Project Mgr: **Lori Beyer**
 Account / Client ID: **AR 70-102260**
 Table #: **10367**
 Profile / Template:
 Prelog / Bottle Ord. ID:

Preservation non-conformance identified for sample:

Signature: **Richard Paszkiewicz**
 Date/Time: **11/24/24 10:45 AM**

Received by/Company: **Boyer**
 Date/Time: **11/24/24 10:00**

Received by/Company: **Boyer**
 Date/Time: **11/24/24 10:00**

Received by/Company: **Boyer**
 Date/Time: **11/24/24 10:00**

Received by/Company: **Boyer**
 Date/Time: **11/24/24 10:00**

Task Number: **1019**
 Date/Time: **11/24/24 10:00**
 Delivered by: [] In-Person [] Courier
 [] FedEx [] UPS [] Other

Page: **3** of **4**

Company Name: Intertek-PSI
Street Address: 17 British American Blvd, Latham, NY 12210
Contact/Report To: William Kotas
Phone #: (518) 377-9841
E-Mail: william.kotas@intertek.com
Cc E-Mail:

Customer Project #: 08215514
Project Name: HUDSON FALLS CENTRAL SCHOOL DISTRICT
Invoice To: PSI Latham Accounts Payable
Invoice E-Mail: LathamAR@intertek.com
Purchase Order # (if applicable):
Quote #: CR-BOCES RCO #23-057

Site Collection Info/Facility ID (as applicable):
 High School
Time Zone Collected: [] AK [] PT [] MT [] CT [] ET
Data Deliverables:
 [] Level II [] Level III [] Level IV
 [] EQUIS
 [] Other


Regulatory Program (DW, RCRA, etc.) as applicable: NY Lead in School DW
Rush (Pre-approval required):
 [] 2 Day [] 3 day [] 5 day [] Other
Date Results Requested: Standard 10 business day
Field Filtered (if applicable): [] Yes [] No
Analysis:

*** Matrix Codes (insert in Matrix box below):** Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Other (OT), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk

Customer Sample ID	Matrix *	Comp / Grab	Collected		Composite End	Res. CLZ	Number & Type of Containers	
			Date	Time			Date	Time
HS-KIT-HS	DW	G	11/24	10:30am			1	X
HS-KIT-BR			11/24	10:30				
HS-C			11/24	6:50				
HS-DFBF			11/24	6:40				
HS-NUS-1			11/24	6:35				
HS-NUS-2			11/24	6:30				
HS-DF			11/24	6:30				
HS-F-DF			11/24	6:40				
HS-F-DF-BF			11/24	6:40				

Customer Remarks / Special Conditions / Possible Hazards:
 Additional instructions from Pace*:
 Collected By: Richard Paszkiewicz
 Printed Name: Richard Paszkiewicz
 Signature:

Relinquished by/Company (Signature): [Signature]
Date/Time: 11/24 10:45am
Relinquished by/Company (Signature): [Signature]
Date/Time: 11/24 10:50
Relinquished by/Company (Signature): [Signature]
Date/Time: 11/24 7:00
Relinquished by/Company (Signature): [Signature]
Date/Time: 11/24 7:00
Relinquished by/Company (Signature): [Signature]
Date/Time: 11/24 7:00
Relinquished by/Company (Signature): [Signature]
Date/Time: 11/24 7:00



LAB USE ONLY - Affix Workorder/Login Label Here
 Specify Container Size **
 Identify Container Preservative Type ***
 Analysis Requested

Lab Use Only
 Proj. Mgr: Lord Beyer
 AcctNum / Client ID: AR 70-102260
 Table #: 10367
 Profile / Template:
 Pregab / Bottle Ord. ID:

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 60mL Vial, (7) EnCore, (8) TerraCore, (9) Other
 *** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) NaOH, (11) Other
 Preservation non-conformance identified for sample.
 Sample Comment
 # Coolers: Thermometer ID: Obs. Temp. (°C) Correction Factor (°C) Corrected Temp. (°C)
 Tracking Number: 11/24 10:50
 Delivered by: [] In-Person [] Courier
 [] FedEx [] UPS [] Other
 Page: 4 of 4

Effective Date:

Client Name: INTER-LATHAM Project

WO#: 70321595

PM: LAB

Due Date: 11/21/24

Courier: Fed Ex UPS USPS Client Commercial Pac Other

CLIENT: INTER-LATHAM

Tracking #:

Custody Seal on Cooler/Box Present: Yes No Seals intact: Yes No Temperature Blank Present: Yes No

Packing Material: Bubble Wrap Bubble Bags Ziplo None Other Type of Ice: Wet Blue None

Thermometer Used: JH211 Correction Factor: 0.3 Samples on ice, cooling process has begun

Cooler Temperature (°C): 18.7 Cooler Temperature Corrected (°C): 19.0 Date/Time 5035A kits placed in freezer _____

Temp should be above freezing to 6.0°C

USDA Regulated Soil (N/A, water sample)

Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX, or VA (check map)? Yes No

Did samples originate from a foreign source including Hawaii and Puerto Rico)? Yes No

If Yes to either question, fill out a Regulated Soil Checklist (ENV-FRM-MELV-0076) and include with SCUR/COC paperwork.

Date and Initials of person examining contents: WJ24 CT

	COMMENTS:
Chain of Custody Present: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	1.
Chain of Custody Filled Out: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	2.
Chain of Custody Relinquished: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	3.
Sampler Name & Signature on COC: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
Short Hold Time Analysis (<72hr): <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume: (Triple volume provided for MS/MSD) <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	8.
Correct Containers Used: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Containers Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11. Note: if sediment is visible in the dissolved container.
Sample Labels match COC: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	12.
-Includes date/time/ID/Analysis Matrix: SL <input checked="" type="checkbox"/> WT <input type="checkbox"/> OIL <input type="checkbox"/> OTHER	

Date and Initials of person checking preservation: WJ24 CT

All containers needing preservation have been <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13. <input type="checkbox"/> HNO ₃ <input type="checkbox"/> H ₂ SO ₄ <input type="checkbox"/> NaOH <input type="checkbox"/> HCl
pH paper Lot # <u>205324</u>	Sample #
All containers needing preservation are found to be in compliance with method recommendation? (HNO ₃ , H ₂ SO ₄ , HCl, NaOH>9 Sulfide, <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A NAOH>12 Cyanide)	
Exceptions: VOA, Coliform, TOC/DOC, Oil and Grease, DRO/8015 (water).	Initial when completed
Per Method, VOA pH is checked after analysis	Lot # of added preservative:
Samples checked for dechlorination: <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Date/Time preservative added:
KI starch test strips Lot #	14.
Residual chlorine strips Lot #	Positive for Res. Chlorine? Y N
SM 4500 CN samples checked for sul <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	15.
Lead Acetate Strips Lot #	Positive for Sulfide? Y N
Headspace in ALK Bottle (>6mm): <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	16.
Headspace in VOA Vials (>6mm): <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	17.
Trip Blank Present: <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Trip Blank Custody Seals Present <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	

Client Notification/ Resolution: _____ Field Data Required? Y / N

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

* PM (Project Manager) review (which includes the SCUR) is documented electronically in LIMS.