



November 21, 2024

William Kotas
Intertek PSI
17 British American Boulevard
Latham, NY 12110

RE: Project: HUDSON FALLS CSD LITTLE LEAGUE
Pace Project No.: 70321591

Dear William Kotas:

Enclosed are the analytical results for sample(s) received by the laboratory on November 07, 2024. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Melville

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Lori A. Beyer
lori.beyer@pacelabs.com
516-370-6014
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CERTIFICATIONS

Project: HUDSON FALLS CSD LITTLE LEAGUE

Pace Project No.: 70321591

Pace Analytical Services, LLC - Melville, NY

575 Broad Hollow Rd, Melville, NY 11747

Connecticut Certification #: PH-0435

Delaware Certification # NY 10478

Maryland Certification #: 208

Massachusetts Certification #: M-NY026

New Hampshire Certification #: 2987

New Jersey Certification #: NY158

New York Certification #: 10478 Primary Accrediting Body

Pennsylvania Certification #: 68-00350

Rhode Island Certification #: LAO00340

Texas Certification #: T104704582

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE SUMMARY

Project: HUDSON FALLS CSD LITTLE LEAGUE

Pace Project No.: 70321591

Lab ID	Sample ID	Matrix	Date Collected	Date Received
70321591001	HFLL-2	Drinking Water	10/23/24 14:05	11/07/24 07:00
70321591002	HFLL-3	Drinking Water	10/23/24 14:05	11/07/24 07:00
70321591003	HFLL-1	Drinking Water	10/23/24 14:05	11/07/24 07:00

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: HUDSON FALLS CSD LITTLE LEAGUE
Pace Project No.: 70321591

Lab ID	Sample ID	Method	Analysts	Analytes Reported
70321591001	HFLL-2	EPA 200.8	JP2	1
70321591002	HFLL-3	EPA 200.8	JP2	1
70321591003	HFLL-1	EPA 200.8	JP2	1

PACE-MV = Pace Analytical Services - Melville

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS CSD LITTLE LEAGUE

Pace Project No.: 70321591

Sample: HFLL-2		Lab ID: 70321591001	Collected: 10/23/24 14:05	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/20/24 18:26	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS CSD LITTLE LEAGUE

Pace Project No.: 70321591

Sample: HFLL-3		Lab ID: 70321591002	Collected: 10/23/24 14:05	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/20/24 18:30	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS CSD LITTLE LEAGUE

Pace Project No.: 70321591

Sample: HFLL-1		Lab ID: 70321591003	Collected: 10/23/24 14:05	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/20/24 18:35	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: HUDSON FALLS CSD LITTLE LEAGUE

Pace Project No.: 70321591

QC Batch:	371739	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville

Associated Lab Samples: 70321591001

METHOD BLANK: 1944635 Matrix: Water

Associated Lab Samples: 70321591001

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	11/20/24 17:37	

LABORATORY CONTROL SAMPLE: 1944636

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	50.1	100	85-115	

MATRIX SPIKE SAMPLE: 1944638

Parameter	Units	70321585061 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	48.8	98	70-130	

MATRIX SPIKE SAMPLE: 1944641

Parameter	Units	70321585062 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	49.9	100	70-130	

SAMPLE DUPLICATE: 1944637

Parameter	Units	70321585061 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		20	

SAMPLE DUPLICATE: 1944640

Parameter	Units	70321585062 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: HUDSON FALLS CSD LITTLE LEAGUE

Pace Project No.: 70321591

QC Batch:	371756	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville

Associated Lab Samples: 70321591002, 70321591003

METHOD BLANK: 1944696 Matrix: Water

Associated Lab Samples: 70321591002, 70321591003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	11/20/24 18:27	

LABORATORY CONTROL SAMPLE: 1944697

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	50.9	102	85-115	

MATRIX SPIKE SAMPLE: 1944699

Parameter	Units	70321591002 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	48.4	97	70-130	

MATRIX SPIKE SAMPLE: 1944701

Parameter	Units	70321591003 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	50.3	100	70-130	

SAMPLE DUPLICATE: 1944698

Parameter	Units	70321591002 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		20	

SAMPLE DUPLICATE: 1944700

Parameter	Units	70321591003 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALIFIERS

Project: HUDSON FALLS CSD LITTLE LEAGUE

Pace Project No.: 70321591

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: HUDSON FALLS CSD LITTLE LEAGUE
Pace Project No.: 70321591

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70321591001	HFL-2	EPA 200.8	371739		
70321591002	HFL-3	EPA 200.8	371756		
70321591003	HFL-1	EPA 200.8	371756		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CHAIN-OF-CUSTODY Analytical Request Document
 Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAF
WO#: 70321591



Company Name: **Intertek-PSI**
 Street Address: **17 British American Blvd, Latham, NY 12110**
 Customer Project #: **08215514**
 Project Name: **HUDSON FALLS CENTRAL SCHOOL DISTRICT**
 Site Collection Info/Facility ID (as applicable):
HF Little League

Contact/Report To: **William Kotas**
 Phone #: **(518) 377-9841**
 E-Mail: william.kotas@intertek.com
 Cc E-Mail:
 Invoice To: **PSI Latham Accounts Payable**
 Invoice E-Mail: LathamAR@intertek.com
 Purchase Order # (if applicable):
 Quote #: **CR-BOCES RCO #23-057**
 County / State origin of sample(s): **New York**

Regulatory Program (DW, RCRA, etc.) as applicable: **NY Lead in School DW**
 Rush (Pre-approval required): **DW PWSID # or WW Permit # as applicable:**
 () 2 Day () 3 day () 5 day () Other:
Standard 10 business day
 Date Results Requested:
 Field Filtered (if applicable): () Yes () No
 Analysis:

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Other (OT), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start)		Composite End		Res. CL2	Number & Type of Containers	
			Date	Time	Date	Time		Plastic	Glass
HFLU-2	DW	G	10/23/24	2:05 PM				1	
HFLU-3			10/23/24	2:05 PM					
HFLU-1			10/23/24	2:05 PM					

Additional Instructions from Pace:
 Collected By: **Richard Paszkiewicz**
 Printed Name: **Richard Paszkiewicz**
 Signature:

Customer Remarks / Special Conditions / Possible Hazards:
Lead

Received by/Company: (Signature) **Pace**
 Date/Time: **11/6/24 10:45am**
 Received by/Company: (Signature) **Richard Paszkiewicz**
 Date/Time: **11/7/24 7:00**
 Received by/Company: (Signature)
 Date/Time:
 Received by/Company: (Signature)
 Date/Time:

Client: **Interetek-PSI**
 Work ID: **HF Little League**

Profile #: **10367**

Use Point Number Spreadsheet

Multiday Project

COC Page _____ of _____

Add SCLOGFD to first sample for field charge

COC Line Item	Matrix	Container Codes	Matrix	Container Codes
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				

Container Codes

Code	Description	Matrix	Code	Description	Matrix
VG9U	40mL unpres clear vial	Glass	BP4U	125mL unpreserved plastic	Plastic
VG9C	40mL Ascorbic-HCl clear vial	Glass	BP3U	250mL unpreserved plastic	Plastic
VG9H	40mL HCl clear vial	Glass	BP2U	500mL unpreserved plastic	Plastic
VG9S	40mL Sulfuric clear vial	Glass	BP1U	1L unpreserved plastic	Plastic
VG9T	40mL Na Thiosulfate vial	Glass	BP4N	125mL HNO3 plastic	Plastic
DG9Y	40mL Citrate-Na Thiosulfate	Glass	BP3N	250mL HNO3 plastic	Plastic
DG9P	40mL amber vial - TSP	Glass	BP2N	500mL HNO3 plastic	Plastic
DG9A	Ascorbic/Maleic Acid 40mL	Glass	BP3S	250mL H2SO4 plastic	Plastic
DG6T	Na Thio 60mL Vial	Glass	BP2S	500mL H2SO4 plastic	Plastic
DG9S	Ammonium Cl/CuSO4 40mL	Glass	BP3C	NaOH 250mL bottle	Plastic
CG1U	1L Unpres Jar (Con Ed)	Glass	BP3T	250mL Trizma	Plastic
WG9O	8oz clear soil jar	Glass	BP35	250mL Ammonium Acetate	Plastic
WG4O	4oz clear soil jar	Glass	BP3R	250mL NH4SO4-NH4OH	Plastic
			BP1Z	1L NaOH Zn Acetate	Plastic
			BP1N	1L HNO3 plastic	Plastic
			BP1B	Na Thiosulfate Amber Bottle	Plastic

Code	Description	Matrix
SP5T	120mL Coliform Na Thio	Misc.
R	Terracota Kit	Misc.
WG2U	2oz Unpreserved Jar	Misc.
WGFU	4oz Unpreserved Jar	Misc.
WGKU	8oz Unpreserved Jar	Misc.
WGDU	16oz Unpreserved Jar	Misc.
ZPLC	Zinlock Bag	Misc.
TEDL	Tedlar Bag	Misc.
BG1H	1L HCL Clear Glass	Misc.
GN	General	Misc.
WP	Wipe	Misc.
LLHG	Low Level Hp Bottles	Misc.
BG1N	1L HNO3 Clear Glass	Misc.

Code	Description	Matrix
BP1U	1L unpreserved plastic	IOC
BP3N	250mL HNO3 plastic	IOC
BP3C	250mL Sodium Hydroxide	IOC
AG2U	500mL unpres amber glass	IOC
BP3U	250mL unpreserved plastic	IOC

* Can also be a BP4N

Code	Description	Matrix
VG9T	40mL Na Thio amber vial	SOC
DG9A	40mL Ascorbic acid/maleic acid vials	SOC
DG9Y	Citrate/Na Thiosulfate 40mL	SOC
DG6T	Na Thiosulfate 60mL vial	SOC
DG6M	MonoChloric/Na Thio 60mL	SOC
AG3U	250mL unpres amber glass	SOC
AG3T	Na Thiosulfate 250mL bottle	SOC
BP1B	Na Thiosulfate Amber bottle	SOC
AG1T	Na Thiosulfate 1L Amber	SOC
AG1A	525.3 Chemical Blend	SOC

Code	Description	Matrix
WT	Water	Matrix
SL	Solid	Matrix
NAL	Non-aqueous Liquid	Matrix
OL	OIL	Matrix
WP	Wipe	Matrix
DW	Drinking Water	Matrix

AD
Sender Initials

Additional Comments

all samples 2008 DWWP

WO#: 70321591

PM: LAB Due Date: 11/21/24
CLIENT: INTER-LATHAM

WO#: 70321591
PM: LAB Due Date: 11/21/24
CLIENT: INTER-LATHAM

Client Name: INTER-LATHAM Project # _____
 Courier: Fed Ex UPS USPS Client Commercial Pack Other
 Tracking #: _____

Custody Seal on Cooler/Box Present: Yes No Seals intact: Yes No Temperature Blank Present: Yes No
 Packing Material: Bubble Wrap Bubble Bags Ziploc Non Other Type of Ice: Wet Blue None
 Thermometer Used: 11/21/24 Correction Factor: 70.3 Samples on ice, cooling process has begun
 Cooler Temperature (°C): 14.4 Cooler Temperature Corrected (°C): 14.7 Date/Time 5035A kits placed in freezer _____
 Temp should be above freezing to 6.0°C

USDA Regulated Soil (N/A, water sample)
 Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX, or VA (check map)? Yes No
 Did samples originate from a foreign source including Hawaii and Puerto Rico? Yes No

If Yes to either question, fill out a Regulated Soil Checklist (ENV-FRM-MELV-0076) and include with SCUR/COC paperwork.

Date and Initials of person examining contents: MJ/24 CJ

	COMMENTS:
Chain of Custody Present: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	1.
Chain of Custody Filled Out: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	2.
Chain of Custody Relinquished: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	3.
Sampler Name & Signature on COC: <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	4.
Samples Arrived within Hold Time: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
Short Hold Time Analysis (<72hr): <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume: (Triple volume provided for MS/MSD) <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	8.
Correct Containers Used: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Containers Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	11.
Filtered volume received for Dissolved tests <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Note: if sediment is visible in the dissolved container.
Sample Labels match COC: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	12.
-Includes date/time/ID/Analysis Matrix: SL <u>WT</u> OIL OTHER	

Date and Initials of person checking preservation: MJ/24 CJ

All containers needing preservation have been <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13. <input type="checkbox"/> HNO ₃ <input type="checkbox"/> H ₂ SO ₄ <input type="checkbox"/> NaOH <input type="checkbox"/> HCl
pH paper Lot # <u>205324</u>	Sample #
All containers needing preservation are found to be in compliance with method recommendation? (HNO ₃ , H ₂ SO ₄ , HCl, NaOH > 9 Sulfide, <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A NAOH > 12 Cyanide)	Initial when completed: _____ Lot # of added preservative: _____ Date/Time preservative added: _____
Exceptions: VOA, Coliform, TOC/DOC, Oil and Grease, DRO/8015 (water). Per Method, VOA pH is checked after analysis	
Samples checked for dechlorination: <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14. Positive for Res. Chlorine? Y N
KI starch test strips Lot #	
Residual chlorine strips Lot #	15. Positive for Sulfide? Y N
SM 4500 CN samples checked for sul <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Lead Acetate Strips Lot #	
Headspace in ALK Bottle (>6mm): <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	16.
Headspace in VOA Vials (>6mm): <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Trip Blank Present: <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	17.
Trip Blank Custody Seals Present <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	

Client Notification/ Resolution: _____ Field Data Required? Y / N
 Person Contacted: _____ Date/Time: _____
 Comments/ Resolution: _____

* PM (Project Manager) review (which includes the SCUR) is documented electronically in LIMS.