



November 21, 2024

William Kotas
Intertek PSI
17 British American Boulevard
Latham, NY 12110

RE: Project: HUDSON FALLS PRIMARY SCHOOL
Pace Project No.: 70321585

Dear William Kotas:

Enclosed are the analytical results for sample(s) received by the laboratory on November 07, 2024. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Melville

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in cursive script that reads "Lori Beyer".

Lori A. Beyer
lori.beyer@pacelabs.com
516-370-6014
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CERTIFICATIONS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Pace Analytical Services, LLC - Melville, NY

575 Broad Hollow Rd, Melville, NY 11747

Connecticut Certification #: PH-0435

Delaware Certification # NY 10478

Maryland Certification #: 208

Massachusetts Certification #: M-NY026

New Hampshire Certification #: 2987

New Jersey Certification #: NY158

New York Certification #: 10478 Primary Accrediting Body

Pennsylvania Certification #: 68-00350

Rhode Island Certification #: LAO00340

Texas Certification #: T104704582

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE SUMMARY

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Lab ID	Sample ID	Matrix	Date Collected	Date Received
70321585001	PS KT-1	Drinking Water	10/30/24 06:20	11/07/24 07:00
70321585002	PS - KT -2	Drinking Water	10/30/24 06:20	11/07/24 07:00
70321585003	PS-KT-B	Drinking Water	10/30/24 06:20	11/07/24 07:00
70321585004	PS-OFF	Drinking Water	10/30/24 06:20	11/07/24 07:00
70321585005	PS-NURSE-1	Drinking Water	10/30/24 06:15	11/07/24 07:00
70321585006	PS-NUR-2	Drinking Water	10/30/24 06:15	11/07/24 07:00
70321585007	PS- 01-A	Drinking Water	10/30/24 06:15	11/07/24 07:00
70321585008	PS- 02-A	Drinking Water	10/30/24 06:15	11/07/24 07:00
70321585009	PS- 03-A	Drinking Water	10/30/24 06:30	11/07/24 07:00
70321585010	PS- 03-B	Drinking Water	10/30/24 06:30	11/07/24 07:00
70321585011	PS- 04-B	Drinking Water	10/30/24 06:30	11/07/24 07:00
70321585012	PS- 05-A	Drinking Water	10/30/24 06:30	11/07/24 07:00
70321585013	PS- 05-B	Drinking Water	10/30/24 06:30	11/07/24 07:00
70321585014	PS- FAC	Drinking Water	10/30/24 06:35	11/07/24 07:00
70321585015	PS-08	Drinking Water	10/30/24 07:45	11/07/24 07:00
70321585016	PS-09-A	Drinking Water	10/30/24 07:45	11/07/24 07:00
70321585017	PS-09-B	Drinking Water	10/30/24 07:45	11/07/24 07:00
70321585018	PS-10-A	Drinking Water	10/30/24 07:50	11/07/24 07:00
70321585019	PS-10-B	Drinking Water	10/30/24 07:50	11/07/24 07:00
70321585020	PS-11-A	Drinking Water	10/30/24 07:55	11/07/24 07:00
70321585021	PS-12-A	Drinking Water	10/30/24 07:55	11/07/24 07:00
70321585022	PS-13-A	Drinking Water	10/30/24 07:55	11/07/24 07:00
70321585023	PS-13-B	Drinking Water	10/30/24 07:55	11/07/24 07:00
70321585024	PS-14-B	Drinking Water	10/30/24 07:50	11/07/24 07:00
70321585025	PS-17	Drinking Water	10/30/24 07:45	11/07/24 07:00
70321585026	PS-18	Drinking Water	10/30/24 07:45	11/07/24 07:00
70321585027	PS-GGB-A	Drinking Water	10/30/24 07:40	11/07/24 07:00
70321585028	PS-GGB-B	Drinking Water	10/30/24 07:40	11/07/24 07:00
70321585030	PS-BGB-A	Drinking Water	10/30/24 07:40	11/07/24 07:00
70321585032	PS-MFB	Drinking Water	10/30/24 06:20	11/07/24 07:00
70321585033	PS-GFB	Drinking Water	10/30/24 07:05	11/07/24 07:00
70321585034	PS-19-A	Drinking Water	10/30/24 06:45	11/07/24 07:00
70321585035	PS-20-A	Drinking Water	10/30/24 06:50	11/07/24 07:00
70321585036	PS-NUR SICK	Drinking Water	10/30/24 06:20	11/07/24 07:00
70321585037	PS-21-A	Drinking Water	10/30/24 06:55	11/07/24 07:00
70321585038	PS-22-A	Drinking Water	10/30/24 06:55	11/07/24 07:00
70321585039	PS-24-A	Drinking Water	10/30/24 07:00	11/07/24 07:00

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.

**SAMPLE SUMMARY**

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Lab ID	Sample ID	Matrix	Date Collected	Date Received
70321585040	PS-25-A	Drinking Water	10/30/24 07:00	11/07/24 07:00
70321585041	PS-26-A	Drinking Water	10/30/24 07:00	11/07/24 07:00
70321585042	PS-27-A	Drinking Water	10/30/24 07:00	11/07/24 07:00
70321585043	PS-28-A	Drinking Water	10/30/24 06:55	11/07/24 07:00
70321585044	PS-29-A	Drinking Water	10/30/24 06:50	11/07/24 07:00
70321585045	PS-30-A	Drinking Water	10/30/24 06:50	11/07/24 07:00
70321585046	PS-31	Drinking Water	10/30/24 07:30	11/07/24 07:00
70321585047	PS-32	Drinking Water	10/30/24 07:30	11/07/24 07:00
70321585048	PS-33	Drinking Water	10/30/24 07:30	11/07/24 07:00
70321585049	PS-34-A	Drinking Water	10/30/24 07:15	11/07/24 07:00
70321585050	PS-35-A	Drinking Water	10/30/24 07:15	11/07/24 07:00
70321585051	PS-36-A	Drinking Water	10/30/24 07:15	11/07/24 07:00
70321585052	PS-37-A	Drinking Water	10/30/24 07:15	11/07/24 07:00
70321585053	PS-38	Drinking Water	10/30/24 07:30	11/07/24 07:00
70321585054	PS-41	Drinking Water	10/30/24 07:30	11/07/24 07:00
70321585055	PS-DF-1-BF	Drinking Water	10/30/24 06:40	11/07/24 07:00
70321585056	PS-36-DF	Drinking Water	10/30/24 07:15	11/07/24 07:00
70321585057	PS-35-DF	Drinking Water	10/30/24 07:15	11/07/24 07:00
70321585058	PS-37-DF	Drinking Water	10/30/24 07:15	11/07/24 07:00
70321585059	PS-34-DF	Drinking Water	10/30/24 07:15	11/07/24 07:00
70321585060	PS-DF-5	Drinking Water	10/30/24 06:40	11/07/24 07:00
70321585061	PS-DF-1	Drinking Water	10/30/24 06:40	11/07/24 07:00
70321585062	PS-DF-2	Drinking Water	10/30/24 06:40	11/07/24 07:00
70321585063	PS-DF-3	Drinking Water	10/30/24 06:45	11/07/24 07:00
70321585064	PS-DF-4	Drinking Water	10/30/24 07:05	11/07/24 07:00
70321585065	PS-04-A	Drinking Water	10/30/24 06:30	11/07/24 07:00
70321585066	PS-14-A	Drinking Water	10/29/24 07:50	11/07/24 07:00
70321585067	PS-23-A	Drinking Water	10/30/24 07:00	11/07/24 07:00

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Lab ID	Sample ID	Method	Analysts	Analytes Reported
70321585001	PS KT-1	EPA 200.8	JP2	1
70321585002	PS - KT -2	EPA 200.8	JP2	1
70321585003	PS-KT-B	EPA 200.8	JP2	1
70321585004	PS-OFF	EPA 200.8	JP2	1
70321585005	PS-NURSE-1	EPA 200.8	JP2	1
70321585006	PS-NUR-2	EPA 200.8	JP2	1
70321585007	PS- 01-A	EPA 200.8	JP2	1
70321585008	PS- 02-A	EPA 200.8	JP2	1
70321585009	PS- 03-A	EPA 200.8	JP2	1
70321585010	PS- 03-B	EPA 200.8	JP2	1
70321585011	PS- 04-B	EPA 200.8	JP2	1
70321585012	PS- 05-A	EPA 200.8	JP2	1
70321585013	PS- 05-B	EPA 200.8	JP2	1
70321585014	PS- FAC	EPA 200.8	JP2	1
70321585015	PS-08	EPA 200.8	JP2	1
70321585016	PS-09-A	EPA 200.8	JP2	1
70321585017	PS-09-B	EPA 200.8	JP2	1
70321585018	PS-10-A	EPA 200.8	JP2	1
70321585019	PS-10-B	EPA 200.8	JP2	1
70321585020	PS-11-A	EPA 200.8	JP2	1
70321585021	PS-12-A	EPA 200.8	JP2	1
70321585022	PS-13-A	EPA 200.8	JP2	1
70321585023	PS-13-B	EPA 200.8	JP2	1
70321585024	PS-14-B	EPA 200.8	JP2	1
70321585025	PS-17	EPA 200.8	JP2	1
70321585026	PS-18	EPA 200.8	JP2	1
70321585027	PS-GGB-A	EPA 200.8	JP2	1
70321585028	PS-GGB-B	EPA 200.8	JP2	1
70321585030	PS-BGB-A	EPA 200.8	JP2	1
70321585032	PS-MFB	EPA 200.8	JP2	1
70321585033	PS-GFB	EPA 200.8	JP2	1
70321585034	PS-19-A	EPA 200.8	JP2	1
70321585035	PS-20-A	EPA 200.8	JP2	1
70321585036	PS-NUR SICK	EPA 200.8	JP2	1
70321585037	PS-21-A	EPA 200.8	JP2	1
70321585038	PS-22-A	EPA 200.8	JP2	1
70321585039	PS-24-A	EPA 200.8	JP2	1

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: HUDSON FALLS PRIMARY SCHOOL
Pace Project No.: 70321585

Lab ID	Sample ID	Method	Analysts	Analytes Reported
70321585040	PS-25-A	EPA 200.8	JP2	1
70321585041	PS-26-A	EPA 200.8	JP2	1
70321585042	PS-27-A	EPA 200.8	JP2	1
70321585043	PS-28-A	EPA 200.8	JP2	1
70321585044	PS-29-A	EPA 200.8	JP2	1
70321585045	PS-30-A	EPA 200.8	JP2	1
70321585046	PS-31	EPA 200.8	JP2	1
70321585047	PS-32	EPA 200.8	JP2	1
70321585048	PS-33	EPA 200.8	JP2	1
70321585049	PS-34-A	EPA 200.8	JP2	1
70321585050	PS-35-A	EPA 200.8	JP2	1
70321585051	PS-36-A	EPA 200.8	JP2	1
70321585052	PS-37-A	EPA 200.8	JP2	1
70321585053	PS-38	EPA 200.8	JP2	1
70321585054	PS-41	EPA 200.8	JP2	1
70321585055	PS-DF-1-BF	EPA 200.8	JP2	1
70321585056	PS-36-DF	EPA 200.8	JP2	1
70321585057	PS-35-DF	EPA 200.8	JP2	1
70321585058	PS-37-DF	EPA 200.8	JP2	1
70321585059	PS-34-DF	EPA 200.8	JP2	1
70321585060	PS-DF-5	EPA 200.8	JP2	1
70321585061	PS-DF-1	EPA 200.8	JP2	1
70321585062	PS-DF-2	EPA 200.8	JP2	1
70321585063	PS-DF-3	EPA 200.8	JP2	1
70321585064	PS-DF-4	EPA 200.8	JP2	1
70321585065	PS-04-A	EPA 200.8	JP2	1
70321585066	PS-14-A	EPA 200.8	JP2	1
70321585067	PS-23-A	EPA 200.8	JP2	1

PACE-MV = Pace Analytical Services - Melville

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Sample: PS KT-1		Lab ID: 70321585001	Collected: 10/30/24 06:20	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.4	ug/L	1.0	1		11/20/24 11:44	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Sample: PS - KT -2		Lab ID: 70321585002	Collected: 10/30/24 06:20	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/20/24 11:46	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Sample: PS-KT-B		Lab ID: 70321585003	Collected: 10/30/24 06:20	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.9	ug/L	1.0	1		11/20/24 11:48	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Sample: PS-OFF		Lab ID: 70321585004	Collected: 10/30/24 06:20	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.6	ug/L	1.0	1		11/20/24 11:52	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Sample: PS-NURSE-1	Lab ID: 70321585005	Collected: 10/30/24 06:15	Received: 11/07/24 07:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.0	ug/L	1.0	1		11/20/24 11:54	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Sample: PS-NUR-2		Lab ID: 70321585006	Collected: 10/30/24 06:15	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.0	ug/L	1.0	1		11/20/24 11:56	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Sample: PS- 01-A		Lab ID: 70321585007	Collected: 10/30/24 06:15	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.5	ug/L	1.0	1		11/20/24 11:57	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Sample: PS- 02-A		Lab ID: 70321585008	Collected: 10/30/24 06:15	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.4	ug/L	1.0	1		11/20/24 11:59	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Sample: PS- 03-A		Lab ID: 70321585009	Collected: 10/30/24 06:30	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	5.8	ug/L	1.0	1		11/20/24 12:00	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Sample: PS- 03-B		Lab ID: 70321585010	Collected: 10/30/24 06:30	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	10.1	ug/L	1.0	1		11/20/24 12:02	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Sample: PS- 04-B		Lab ID: 70321585011	Collected: 10/30/24 06:30	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	3.4	ug/L	1.0	1		11/20/24 12:04	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Sample: PS- 05-A		Lab ID: 70321585012	Collected: 10/30/24 06:30	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	3.0	ug/L	1.0	1		11/20/24 12:05	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Sample: PS- 05-B		Lab ID: 70321585013	Collected: 10/30/24 06:30	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.3	ug/L	1.0	1		11/20/24 12:07	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Sample: PS- FAC		Lab ID: 70321585014	Collected: 10/30/24 06:35	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.4	ug/L	1.0	1		11/20/24 12:11	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Sample: PS-08		Lab ID: 70321585015	Collected: 10/30/24 07:45	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	5.1	ug/L	1.0	1		11/20/24 12:13	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Sample: PS-09-A	Lab ID: 70321585016	Collected: 10/30/24 07:45	Received: 11/07/24 07:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		11/20/24 12:15	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Sample: PS-09-B		Lab ID: 70321585017	Collected: 10/30/24 07:45	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	2.6	ug/L	1.0	1		11/20/24 12:16	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Sample: PS-10-A	Lab ID: 70321585018	Collected: 10/30/24 07:50	Received: 11/07/24 07:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	3.1	ug/L	1.0	1		11/20/24 12:18	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Sample: PS-10-B	Lab ID: 70321585019	Collected: 10/30/24 07:50	Received: 11/07/24 07:00	Matrix: Drinking Water					
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville								
Lead	<1.0	ug/L	1.0	1		11/20/24 12:23	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Sample: PS-11-A		Lab ID: 70321585020	Collected: 10/30/24 07:55	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/20/24 12:30	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Sample: PS-12-A	Lab ID: 70321585021	Collected: 10/30/24 07:55	Received: 11/07/24 07:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		11/20/24 12:35	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Sample: PS-13-A		Lab ID: 70321585022	Collected: 10/30/24 07:55	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/20/24 12:37	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Sample: PS-13-B								
Lab ID: 70321585023								
Collected: 10/30/24 07:55								
Received: 11/07/24 07:00								
Matrix: Drinking Water								
200.8 MET ICPMS Drinking Water								
Analytical Method: EPA 200.8								
Pace Analytical Services - Melville								
Lead	<1.0	ug/L	1.0	1		11/20/24 12:38	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Sample: PS-14-B		Lab ID: 70321585024	Collected: 10/30/24 07:50	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/20/24 12:40	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Sample: PS-17		Lab ID: 70321585025	Collected: 10/30/24 07:45	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	3.3	ug/L	1.0	1		11/20/24 12:42	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Sample: PS-18		Lab ID: 70321585026		Collected: 10/30/24 07:45	Received: 11/07/24 07:00	Matrix: Drinking Water		
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.3	ug/L	1.0	1		11/20/24 12:43	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Sample: PS-GGB-A		Lab ID: 70321585027	Collected: 10/30/24 07:40	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/20/24 12:45	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Sample: PS-GGB-B		Lab ID: 70321585028	Collected: 10/30/24 07:40	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/20/24 12:50	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Sample: PS-BGB-A		Lab ID: 70321585030	Collected: 10/30/24 07:40	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/20/24 12:51	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Sample: PS-MFB		Lab ID: 70321585032	Collected: 10/30/24 06:20	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/20/24 12:53	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Sample: PS-GFB		Lab ID: 70321585033	Collected: 10/30/24 07:05	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/20/24 12:54	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Sample: PS-19-A		Lab ID: 70321585034	Collected: 10/30/24 06:45	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/20/24 12:56	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Sample: PS-20-A		Lab ID: 70321585035	Collected: 10/30/24 06:50	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/20/24 12:58	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Sample: PS-NUR SICK		Lab ID: 70321585036	Collected: 10/30/24 06:20	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/20/24 12:59	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Sample: PS-21-A		Lab ID: 70321585037	Collected: 10/30/24 06:55	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/20/24 13:01	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Sample: PS-22-A		Lab ID: 70321585038	Collected: 10/30/24 06:55	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/20/24 13:02	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Sample: PS-24-A		Lab ID: 70321585039	Collected: 10/30/24 07:00	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/20/24 13:04	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Sample: PS-25-A		Lab ID: 70321585040	Collected: 10/30/24 07:00	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/20/24 16:49	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Sample: PS-26-A		Lab ID: 70321585041	Collected: 10/30/24 07:00	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/20/24 16:53	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Sample: PS-27-A		Lab ID: 70321585042	Collected: 10/30/24 07:00	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/20/24 16:58	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Sample: PS-28-A		Lab ID: 70321585043	Collected: 10/30/24 06:55	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/20/24 17:02	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Sample: PS-29-A		Lab ID: 70321585044	Collected: 10/30/24 06:50	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/20/24 17:07	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Sample: PS-30-A		Lab ID: 70321585045	Collected: 10/30/24 06:50	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/20/24 17:08	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Sample: PS-31		Lab ID: 70321585046	Collected: 10/30/24 07:30	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	2.5	ug/L	1.0	1		11/20/24 17:10	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Sample: PS-32		Lab ID: 70321585047	Collected: 10/30/24 07:30	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/20/24 17:12	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Sample: PS-33		Lab ID: 70321585048	Collected: 10/30/24 07:30	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.1	ug/L	1.0	1		11/20/24 17:13	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Sample: PS-34-A		Lab ID: 70321585049	Collected: 10/30/24 07:15	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/20/24 17:15	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Sample: PS-35-A	Lab ID: 70321585050	Collected: 10/30/24 07:15	Received: 11/07/24 07:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		11/20/24 17:16	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Sample: PS-36-A		Lab ID: 70321585051	Collected: 10/30/24 07:15	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/20/24 17:18	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Sample: PS-37-A								
Lab ID: 70321585052								
Collected: 10/30/24 07:15								
Received: 11/07/24 07:00								
Matrix: Drinking Water								
200.8 MET ICPMS Drinking Water								
Analytical Method: EPA 200.8								
Pace Analytical Services - Melville								
Lead	<1.0	ug/L	1.0	1		11/20/24 17:20	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Sample: PS-38		Lab ID: 70321585053	Collected: 10/30/24 07:30	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.4	ug/L	1.0	1		11/20/24 17:21	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Sample: PS-41		Lab ID: 70321585054	Collected: 10/30/24 07:30	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/20/24 17:26	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Sample: PS-DF-1-BF		Lab ID: 70321585055	Collected: 10/30/24 06:40	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/20/24 17:27	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Sample: PS-36-DF		Lab ID: 70321585056	Collected: 10/30/24 07:15	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/20/24 17:29	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Sample: PS-35-DF		Lab ID: 70321585057	Collected: 10/30/24 07:15	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/20/24 17:31	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Sample: PS-37-DF	Lab ID: 70321585058	Collected: 10/30/24 07:15	Received: 11/07/24 07:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		11/20/24 17:32	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Sample: PS-34-DF		Lab ID: 70321585059	Collected: 10/30/24 07:15	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/20/24 17:34	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Sample: PS-DF-5		Lab ID: 70321585060	Collected: 10/30/24 06:40	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/20/24 17:35	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Sample: PS-DF-1		Lab ID: 70321585061	Collected: 10/30/24 06:40	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/20/24 17:40	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Sample: PS-DF-2		Lab ID: 70321585062	Collected: 10/30/24 06:40	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/20/24 17:48	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Sample: PS-DF-3	Lab ID: 70321585063	Collected: 10/30/24 06:45	Received: 11/07/24 07:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		11/20/24 17:52	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Sample: PS-DF-4		Lab ID: 70321585064	Collected: 10/30/24 07:05	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/20/24 17:54	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Sample: PS-04-A		Lab ID: 70321585065	Collected: 10/30/24 06:30	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	3.5	ug/L	1.0	1		11/20/24 17:55	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Sample: PS-14-A		Lab ID: 70321585066	Collected: 10/29/24 07:50	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/20/24 17:57	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Sample: PS-23-A		Lab ID: 70321585067	Collected: 10/30/24 07:00	Received: 11/07/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/20/24 17:59	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

QC Batch:	371736	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70321585001, 70321585002, 70321585003, 70321585004, 70321585005, 70321585006, 70321585007, 70321585008, 70321585009, 70321585010, 70321585011, 70321585012, 70321585013, 70321585014, 70321585015, 70321585016, 70321585017, 70321585018		

METHOD BLANK:	1944617	Matrix:	Water
Associated Lab Samples:	70321585001, 70321585002, 70321585003, 70321585004, 70321585005, 70321585006, 70321585007, 70321585008, 70321585009, 70321585010, 70321585011, 70321585012, 70321585013, 70321585014, 70321585015, 70321585016, 70321585017, 70321585018		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	11/20/24 11:29	

LABORATORY CONTROL SAMPLE:	1944618					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	50.5	101	85-115	

MATRIX SPIKE SAMPLE:	1944620						
Parameter	Units	70321470023 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	48.9	97	70-130	

MATRIX SPIKE SAMPLE:	1944622						
Parameter	Units	70321470024 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	3.2	50	52.0	98	70-130	

SAMPLE DUPLICATE:	1944619					
Parameter	Units	70321470023 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		20	

SAMPLE DUPLICATE:	1944621					
Parameter	Units	70321470024 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	3.2	3.0	6	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

QC Batch:	371737	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70321585019, 70321585020, 70321585021, 70321585022, 70321585023, 70321585024, 70321585025, 70321585026, 70321585027, 70321585028, 70321585030, 70321585032, 70321585033, 70321585034, 70321585035, 70321585036, 70321585037, 70321585038, 70321585039, 70321585040		

METHOD BLANK:	1944623	Matrix:	Water
Associated Lab Samples:	70321585019, 70321585020, 70321585021, 70321585022, 70321585023, 70321585024, 70321585025, 70321585026, 70321585027, 70321585028, 70321585030, 70321585032, 70321585033, 70321585034, 70321585035, 70321585036, 70321585037, 70321585038, 70321585039, 70321585040		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	11/20/24 12:19	

LABORATORY CONTROL SAMPLE:	1944624					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	50.7	101	85-115	

MATRIX SPIKE SAMPLE:	1944626						
Parameter	Units	70321585019 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	47.3	94	70-130	

MATRIX SPIKE SAMPLE:	1944628						
Parameter	Units	70321585020 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	45.3	90	70-130	

SAMPLE DUPLICATE:	1944625					
Parameter	Units	70321585019 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		20	

SAMPLE DUPLICATE:	1944627					
Parameter	Units	70321585020 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

QC Batch:	371738	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70321585041, 70321585042, 70321585043, 70321585044, 70321585045, 70321585046, 70321585047, 70321585048, 70321585049, 70321585050, 70321585051, 70321585052, 70321585053, 70321585054, 70321585055, 70321585056, 70321585057, 70321585058, 70321585059, 70321585060		

METHOD BLANK:	1944629	Matrix:	Water
Associated Lab Samples:	70321585041, 70321585042, 70321585043, 70321585044, 70321585045, 70321585046, 70321585047, 70321585048, 70321585049, 70321585050, 70321585051, 70321585052, 70321585053, 70321585054, 70321585055, 70321585056, 70321585057, 70321585058, 70321585059, 70321585060		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	11/20/24 16:50	

LABORATORY CONTROL SAMPLE:	1944630					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	52.6	105	85-115	

MATRIX SPIKE SAMPLE:	1944632						
Parameter	Units	70321585041 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	51.4	102	70-130	

MATRIX SPIKE SAMPLE:	1944634						
Parameter	Units	70321585042 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	50.0	100	70-130	

SAMPLE DUPLICATE:	1944631					
Parameter	Units	70321585041 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		20	

SAMPLE DUPLICATE:	1944633					
Parameter	Units	70321585042 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

QC Batch:	371739	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville

Associated Lab Samples: 70321585061, 70321585062, 70321585063, 70321585064, 70321585065, 70321585066, 70321585067

METHOD BLANK:	1944635	Matrix:	Water
---------------	---------	---------	-------

Associated Lab Samples: 70321585061, 70321585062, 70321585063, 70321585064, 70321585065, 70321585066, 70321585067

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	11/20/24 17:37	

LABORATORY CONTROL SAMPLE:		1944636				
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	50.1	100	85-115	

MATRIX SPIKE SAMPLE:		1944638					
Parameter	Units	70321585061 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	48.8	98	70-130	

MATRIX SPIKE SAMPLE:		1944641					
Parameter	Units	70321585062 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	49.9	100	70-130	

SAMPLE DUPLICATE:		1944637				
Parameter	Units	70321585061 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		20	

SAMPLE DUPLICATE:		1944640				
Parameter	Units	70321585062 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALIFIERS

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

WORKORDER QUALIFIERS

WO: 70321585

[1] Sample PS-BGB-B was not received by the laboratory.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70321585001	PS KT-1	EPA 200.8	371736		
70321585002	PS - KT -2	EPA 200.8	371736		
70321585003	PS-KT-B	EPA 200.8	371736		
70321585004	PS-OFF	EPA 200.8	371736		
70321585005	PS-NURSE-1	EPA 200.8	371736		
70321585006	PS-NUR-2	EPA 200.8	371736		
70321585007	PS- 01-A	EPA 200.8	371736		
70321585008	PS- 02-A	EPA 200.8	371736		
70321585009	PS- 03-A	EPA 200.8	371736		
70321585010	PS- 03-B	EPA 200.8	371736		
70321585011	PS- 04-B	EPA 200.8	371736		
70321585012	PS- 05-A	EPA 200.8	371736		
70321585013	PS- 05-B	EPA 200.8	371736		
70321585014	PS- FAC	EPA 200.8	371736		
70321585015	PS-08	EPA 200.8	371736		
70321585016	PS-09-A	EPA 200.8	371736		
70321585017	PS-09-B	EPA 200.8	371736		
70321585018	PS-10-A	EPA 200.8	371736		
70321585019	PS-10-B	EPA 200.8	371737		
70321585020	PS-11-A	EPA 200.8	371737		
70321585021	PS-12-A	EPA 200.8	371737		
70321585022	PS-13-A	EPA 200.8	371737		
70321585023	PS-13-B	EPA 200.8	371737		
70321585024	PS-14-B	EPA 200.8	371737		
70321585025	PS-17	EPA 200.8	371737		
70321585026	PS-18	EPA 200.8	371737		
70321585027	PS-GGB-A	EPA 200.8	371737		
70321585028	PS-GGB-B	EPA 200.8	371737		
70321585030	PS-BGB-A	EPA 200.8	371737		
70321585032	PS-MFB	EPA 200.8	371737		
70321585033	PS-GFB	EPA 200.8	371737		
70321585034	PS-19-A	EPA 200.8	371737		
70321585035	PS-20-A	EPA 200.8	371737		
70321585036	PS-NUR SICK	EPA 200.8	371737		
70321585037	PS-21-A	EPA 200.8	371737		
70321585038	PS-22-A	EPA 200.8	371737		
70321585039	PS-24-A	EPA 200.8	371737		
70321585040	PS-25-A	EPA 200.8	371737		
70321585041	PS-26-A	EPA 200.8	371738		
70321585042	PS-27-A	EPA 200.8	371738		
70321585043	PS-28-A	EPA 200.8	371738		
70321585044	PS-29-A	EPA 200.8	371738		
70321585045	PS-30-A	EPA 200.8	371738		
70321585046	PS-31	EPA 200.8	371738		
70321585047	PS-32	EPA 200.8	371738		
70321585048	PS-33	EPA 200.8	371738		
70321585049	PS-34-A	EPA 200.8	371738		
70321585050	PS-35-A	EPA 200.8	371738		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: HUDSON FALLS PRIMARY SCHOOL

Pace Project No.: 70321585

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70321585051	PS-36-A	EPA 200.8	371738		
70321585052	PS-37-A	EPA 200.8	371738		
70321585053	PS-38	EPA 200.8	371738		
70321585054	PS-41	EPA 200.8	371738		
70321585055	PS-DF-1-BF	EPA 200.8	371738		
70321585056	PS-36-DF	EPA 200.8	371738		
70321585057	PS-35-DF	EPA 200.8	371738		
70321585058	PS-37-DF	EPA 200.8	371738		
70321585059	PS-34-DF	EPA 200.8	371738		
70321585060	PS-DF-5	EPA 200.8	371738		
70321585061	PS-DF-1	EPA 200.8	371739		
70321585062	PS-DF-2	EPA 200.8	371739		
70321585063	PS-DF-3	EPA 200.8	371739		
70321585064	PS-DF-4	EPA 200.8	371739		
70321585065	PS-04-A	EPA 200.8	371739		
70321585066	PS-14-A	EPA 200.8	371739		
70321585067	PS-23-A	EPA 200.8	371739		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.

CHAIN-OF-CUSTODY Analytical Request Document
 Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY: Affix Workorder/Label Here
WO#: 70321585

70321585

Company Name: **Intertek-PSI**
 Street Address: **17 British American Blvd, Latham, NY 12210**
 Customer Project #: **08215514**
 Project Name: **HUDSON FALLS CENTRAL SCHOOL DISTRICT**
 Site Collection Info/Facility ID (as applicable):
Primary School

Contact/Report To: **William Kotas**
 Phone #: **(518) 377-9841**
 E-Mail: william.kotas@intertek.com
 Cc E-Mail:
 Invoice To: **PSI Latham Accounts Payable**
 Invoice E-Mail: LathamAR@intertek.com
 Purchase Order # (if applicable):
 Quote #: **CR-BOCES RCO #23-057**

Specify Container Size **
 Identify Container Preservative Type ***
 Analysis Requested

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) Other
 *** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Time Zone Collected: [] AK [] PT [] MT [] CT [X] ET [] AT
 Regulatory Program (DW, RCRA, etc.) as applicable: **NY Lead in School DW**
 Rush (Pre-approval required): **DW PWSID # or WW Permit # as applicable:**
 [] 1 Day [] 3 day [] 5 day [] Other _____
 Date Results Requested: **Standard 10 business day**
 Field Filtered (if applicable): [] Yes [] No
 Analysis:

Proj. Mgr:
Lori Beyer
 AcctNum / Client ID:
AR 70-102260
 Table #:
10367
 Profile / Template:
10367
 Pregab / Bottle Ord. ID:
10367
 Sample Comment

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start)		Composite End		Res. CL2	Number & Type of Containers	200.8 Drinking Water (Pb only)	Preservation non-conformance identified for sample
			Date	Time	Date	Time				
PS-KT-1	DW	G	10/30/24	6:30am				1	X	
PS-KT-2			10/30/24	6:20						
PS-KT-B			10/30/24	6:20						
PS-OFF			10/30/24	6:30						
PS-NURSE-1			10/29/24	6:15						
PS-NUR-2			10/29/24	6:15						
PS-01-A			10/30/24	6:15						
PS-02-A			10/30/24	6:15						
PS-03-A			10/30/24	6:30						

Customer Remarks / Special Conditions / Possible Hazards:
Lead

Collected By: **Richard Paszkiewicz**
 Printed Name: **Richard Paszkiewicz**
 Signature:

Received by/Company: (Signature) **Pace**
 Date/Time: **11/6/24 10:55am**
 Received by/Company: (Signature) **Richard Paszkiewicz**
 Date/Time: **11/6/24 7:00**
 Received by/Company: (Signature)
 Date/Time:
 Received by/Company: (Signature)
 Date/Time:

Tracking Number:
116 10:55
116 11/24 7:00

Delivered by: [] In. Person [] Courier
 [] FedEx [] UPS [] Other

Page: **1** of **7**



Pace® Location Requested (City/State):
Pace Analytical Long Island NY
575 Broad Hollow Rd, Melville, NY 11747

Company Name: **Intertek-PSI**
Street Address: **17 British American Blvd, Latham, NY 12210**

Contact/Report To: **William Kotas**
Phone #: **(518) 377-9841**
E-Mail: **william.kotas@intertek.com**
Cc E-Mail:

Customer Project #: **08215514**
Project Name: **HUDSON FALLS CENTRAL SCHOOL DISTRICT**

Invoice To: **PSI Latham Accounts Payable**
Invoice E-Mail: **LathamAR@intertek.com**

Site Collection Info/Facility ID (as applicable):

Primary School

Purchase Order # (if applicable):

Quote #: **CR-BOCES RCO #23-057**

Time Zone Collected: [] AK [] PT [] MT [] CT [] ET

Regulatory Program (DW, RCRA, etc.) as applicable: **NY Lead in School DW**

[] Level II [] Level III [] Level IV

Rush (Pre-approval required):

[] EQUIS

[] 2 Day [] 3 day [] 5 day [] Other:

[] Other:

Standard 10 business day

* Matrix Codes (insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Other (OT), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start)		Composite End	Res. CLZ	Number & Type of Containers		Preservation non-conformance identified for sample.
			Date	Time			Date	Time	
PS-03-B	DW	G	10/30/24	6:30			1		
PS-04-A			10/30/24	6:30					
PS-04-B			10/30/24	6:30					
PS-05-A			10/30/24	6:30					
PS-05-B			10/30/24	6:30					
PS-FAC			10/30/24	6:35					
PS-08			10/29/24	7:45					
PS-09-A			10/29/24	7:45					
PS-09-B			10/29/24	7:45					
PS-10-A			10/29/24	7:50					

Customer Remarks / Special Conditions / Possible Hazards:

Collected By: **Richard Paszkiewicz**

Printed Name: **Richard Paszkiewicz**

Signature: _____

Additional Instructions from Pace:

Coolers: _____ Thermometer ID: _____

Correction Factor (°C): _____ Obs. Temp. (°C): _____ Corrected Temp. (°C): _____

Relinquished by/Company: (Signature)

Date/Time: **11/6/24 10:45AM**

Relinquished by/Company: (Signature)

Date/Time: **11/6/24 7:00**

Relinquished by/Company: (Signature)

Date/Time:

Relinquished by/Company: (Signature)

Date/Time:

Relinquished by/Company: (Signature)

Date/Time:

Received by/Company: (Signature)

Date/Time: **11/6/24 10:45**

Received by/Company: (Signature)

Date/Time: **11/7/24 7:00**

Received by/Company: (Signature)

Date/Time:

Received by/Company: (Signature)

Date/Time:

Tracking Number:

116 10:45

Delivered by: [] In-Person [] Courier

[] FedEx [] UPS [] Other

Date/Time:

Date/Time:

Date/Time:

Date/Time:

Date/Time:

Date/Time:

Date/Time:

LAB USE ONLY - Affix Workorder/Login Label Here



Scan QR Code for instructions

Specify Container Size **

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL Vial, (7) Encore, (8) TerraCore, (9) Other

Identify Container Preservative Type***

*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Analysis Requested

Proj. Mgr:

Lori Beyer

Account / Client ID:

AR 70-102260

Table #:

10367

Profile / Template:

10367

Prelog / Bottle Ord. ID:

10367

Sample Comment

200.8 Drinking Water (Pb only)

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

Company Name: **Intertek-PSI**
 Street Address: **17 British American Blvd, Latham, NY 12210**

Customer Project #: **08215514**
 Project Name: **HUDSON FALLS CENTRAL SCHOOL DISTRICT**

Site Collection Info/Facility ID (as applicable):
Primary School

Time Zone Collected: [] AK [] PT [] MT [] CT [] ET
 Data Deliverables: [] Level II [] Level III [] Level IV
 [] EQUIS [] Other

Regulatory Program (DW, RCRA, etc.) as applicable: **NY Lead In School DW**

Rush (Pre-approval required): [] 2 Day [] 3 day [] 5 day [] Other
 Date Results Requested: Standard 10 business day

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Other (OT), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start)		Res. CL2	Number & Type of Containers	Sample Comment
			Date	Time			
PS-10-B	DW	G		7:50		1 Plastic	X
PS-11-A				7:55			
PS-12-A				7:55			
PS-13-A				7:55			
PS-13-B				7:55			
PS-14-A				7:50			
PS-14-B				7:50			
PS-17				7:45			
PS-18				7:45			
PS-GGB-A				7:40			

Customer Remarks / Special Conditions / Possible Hazards:
 Lead

Collected By: Richard Paszkiewicz
 Signature: [Signature]
 Received by/Company: [Signature] Pace
 Received by/Company: [Signature] Day
 Received by/Company: [Signature] PACELI
 Received by/Company: [Signature]

Date/Time: 11/16/24 10:53 AM
 Date/Time: 11/16/24 7:00 AM
 Date/Time: 11/16/24 7:00 AM
 Date/Time: 11/16/24 7:00 AM



Scan QR Code for instructions

Specify Container Size **
 **Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL, (7) Encore, (8) TerraCore, (9) Other

Identify Container Preservative Type***
 *** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Analysis Requested

Proj. Mgr: Lori Beyer
 Acct/Num / Client ID: AR 70-102260
 Table #: [Blank]
 Profile / Template: 10367
 Pregog / Bottle Ord. ID: [Blank]

Lab Use Only
 Preservation non-conformance identified for

Additional Instructions from Pace:
 # Coolers: [Blank] Thermometer ID: [Blank] Obs. Temp. (°C): [Blank] Correction Factor (°C): [Blank] Corrected Temp. (°C): [Blank]

Tracking Number: 119 0245
 Delivered by: [] In-Person [] Courier
 [] FedEx [] UPS [] Other
 Page: 3 of 7

Company Name: **Intertek-PSI**
 Street Address: **17 British American Blvd, Latham, NY 12210**

Customer Project #: **08215514**
 Project Name: **HUDSON FALLS CENTRAL SCHOOL DISTRICT**

Site Collection Info/Facility ID (as applicable):

Primary School

Time Zone Collected: [] AK [] PT [] MT [] CT [] ET

Data Deliverables: [] Level II [] Level III [] Level IV [] Level V

[] EQUIS [] Other

Date Results Requested:

[] 2 Day [] 3 day [] 5 day [] Other

Standard 10 business day

Rush (Pre-approval required):

[] 2 Day [] 3 day [] 5 day [] Other

Standard 10 business day

DW PWSID # or WW Permit # as applicable:

New York

Field Filtered (if applicable): [] Yes [] No

County/State origin of sample(s):

New York

CR-BOCES RCO #23-057

Regulatory Program (DW, RCRA, etc.) as applicable: NY Lead in School DW

Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Other (OT), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk

Customer Sample ID

Matrix *

Comp / Grab

Collected (or Composite Start) Date Time

Composite End Date Time

Res. CLZ

Number & Type of Containers Plastic Glass

200.8 Drinking Water (Pb only)

X

Sample Comment

Proj. Mgr: Lori Beyer

AcctNum / Client ID: AR 70-102260

Table #: 10367

Profile / Template:

Preslog / Bottle Ord. ID:

Lab Use Only

Preservation non-conformance identified for sample.

CHAIN-OF-CUSTODY Analytical Request Document
 Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

Contact/Report To: **William Kotas**
 Phone #: **(518) 377-9841**
 E-Mail: william.kotas@intertek.com

Invoice To: **PSI Latham Accounts Payable**
 Invoice E-Mail: LathamAR@intertek.com

Purchase Order # (if applicable):

Quote #:

Specify Container Size **

Identify Container Preservative Type**

Analysis Requested

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL, (7) EncCore, (8) Terracore, (9) Other

*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) Mech, (11) Other



Scan QR Code for instructions

LAB USE ONLY - Affix Workorder/Login Label Here

Additional Instructions from Pace:

Coolers: Thermometer ID: Correction Factor (°C): Obs. Temp. (°C): Corrected Temp. (°C)

Tracking Number:

Date/Time: 11/16/24 10:45am

Date/Time: 11/24/24 9:00

Date/Time: 11/24/24 9:00

Date/Time: 11/24/24 9:00

Received by/Company: (Signature) **R. PACE**
 Received by/Company: (Signature) **Richard Paszkiewicz**

Received by/Company: (Signature) **Richard Paszkiewicz**

Received by/Company: (Signature) **Richard Paszkiewicz**

Received by/Company: (Signature) **Richard Paszkiewicz**

Received by/Company: (Signature) **Richard Paszkiewicz**

Customer Remarks / Special Conditions / Possible Hazards:

Lead

Delivered by: [] In-Person [] Courier

[] FedEx [] UPS [] Other

Page: 4 of 7

Page 92 of 87

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at <https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/>

ENV-FRM-CORQ-0019_v01_082123 ©



Pace® Location Requested (City/State):
Pace Analytical Long Island NY
575 Broad Hollow Rd, Melville, NY 11747

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY - Affix Workorder/Login Label Here



Scan QR Code for instructions

Company Name: **Intertek-PSI**
 Street Address: **17 British American Blvd, Latham, NY 12210**
 Customer Project #: **08215514**
 Project Name: **HUDSON FALLS CENTRAL SCHOOL DISTRICT**

Contact/Report To: **William Kotas**
 Phone #: **(518) 377-9841**
 E-Mail: **william.kotas@intertek.com**
 Cc E-Mail:
 Invoice To: **PSI Latham Accounts Payable**
 Invoice E-Mail: **LathamAR@intertek.com**

Specify Container Size **
 Identify Container Preservative Type***
 Analyt. Requested

Site Collection Info/Facility ID (as applicable):
Primary School

County / State origin of sample(s): **New York**
 Regulatory Program (DW, RCRA, etc.) as applicable: **NY Lead in School DW**
 Rush (Pre-approval required):
 2 Day 3 day 5 day Other _____
 Date Results Requested: **Standard 10 business day**
 Field Filtered (if applicable): Yes No
 Analysis:

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL Vial, (7) EnCore, (8) TerraCore, (9) Other
 *** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other
 Proj. Mgr: **Lori Beyer**
 Acct/Num / Client ID: **AR 70-102260**
 Table #: **10367**
 Profile / Template:
 Pregab / Bottle Ord. ID:

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start)		Composite End	Res. CL2	Number & Type of Containers		Preservation non-conformance identified for sample.
			Date	Time			Date	Time	
PS-23-A	DW	G	10/30/24	7:00			1		
PS-24-A			10/30/24	7:00					
PS-25-A			10/30/24	7:00					
PS-26-A			10/30/24	7:00					
PS-27-A			10/30/24	7:00					
PS-28-A			10/30/24	6:55					
PS-29-A			10/30/24	6:50					
PS-30-A			10/30/24	6:50					
PS-31			10/29/24	7:30					
PS-32			10/29/24	7:30					

Customer Remarks / Special Conditions / Possible Hazards:
Lead

Additional Instructions from Pace*:
 Collected By: **Richard Paszkiewicz**
 Printed Name: **Richard Paszkiewicz**
 Signature:

# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C)	Corrected Temp. (°C)

Tracking Number:
116 10145
 Delivered by: In-Person Courier
 FedEx UPS Other

Date/Time: **11/16/24 10:45 AM**
 Date/Time: **11/24/24 9:00**
 Date/Time:
 Date/Time:

Received by/Company: (Signature) **Page**
 Received by/Company: (Signature) **PAKE U**
 Received by/Company: (Signature)
 Received by/Company: (Signature)

Page 83 of 87

CHAIN-OF-CUSTODY Analytical Request Document
 Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY - Affix Workorder/Login Label Here



Scan QR Code for instructions

Contact/Report To: **William Kotas**
 Phone #: **(518) 377-9841**
 E-Mail: **william.kotas@intertek.com**
 Cc E-Mail:

Invoice To: **PSI Latham Accounts Payable**
 Invoice E-Mail: **LathamAR@intertek.com**

Purchase Order # (if applicable):
 Quote #: **CR-BOCES RCO #23-057**

Company Name: **Intertek-PSI**
 Street Address: **17 British American Blvd, Latham, NY 12210**

Customer Project #: **08215514**
 Project Name: **HUDSON FALLS CENTRAL SCHOOL DISTRICT**

Site Collection Info/Facility ID (as applicable):
Primary School

County / State origin of sample(s): **New York**

Regulatory Program (DW, RCRA, etc.) as applicable: **NY Lead in School DW**

Rush (Pre-approval required):
 2 Day 3 day 5 day Other

Date Results Requested: **Standard 10 business day**

Field Filtered (if applicable): Yes No

Analysis:

Time Zone Collected: AK MT CT ET

Data Deliverables:
 Level II Level III Level IV
 EQUIS Other

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Other (OT), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start)		Composite End Date	Res. CL2	Number & Type of Containers		Preservation non-conformance identified for sample
			Date	Time			Plastic	Glass	
PS-33	DW	G		7:30			1		
PS-34-A				7:15					
PS-35-A				7:15					
PS-36-A				7:15					
PS-37-A				7:15					
PS-38				7:30					
PS-41				7:30					
PS-DF-1-BF			10/30/24	6:40					
PS-36-DF				7:15					
PS-35-DF				7:15					

Additional Instructions from Pace:

Collected By: **Richard Paszkiewicz**
 Printed Name: **Richard Paszkiewicz**
 Signature: _____

Received by/Company: (Signature) **Richard Paszkiewicz**
 Date/Time: **11/6/24 10:45AM**

Received by/Company: (Signature) **Richard Paszkiewicz**
 Date/Time: **11/6/24 7:00**

Received by/Company: (Signature) _____
 Date/Time: _____

Received by/Company: (Signature) _____
 Date/Time: _____

Trading Number: **16185**
 Delivered by: In-Person Courier
 FedEx UPS Other

Page: **6** of **7**

Company Name: **Intertek-PSI**
 Street Address: **17 British American Blvd, Latham, NY 12210**

Customer Project #: **08215514**
 Project Name: **HUDSON FALLS CENTRAL SCHOOL DISTRICT**

Site Collection Info/Facility ID (as applicable):

Time Zone Collected: [] AK [] PT [] MT [] CT [X] ET

Data Deliverables:

[] Level II [] Level III [] Level IV
 [] EQUIS
 [] Other

Regulatory Program (DW, RCRA, etc.) as applicable: **NY Lead in School DW**

County / State origin of sample(s): **New York**

DW PWSID # or WW Permit # as applicable:

Rush (Pre-approval required):

[] 2 Day [] 3 day [] 5 day [] Other

Date Results Requested: **Standard 10 business day**

Field Filtered (if applicable): [] Yes [] No

Analysis:

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OI), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Other (OT), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

Contact/Report To: **William Kotas**

Phone #: **(518) 377-9841**

E-Mail: **william.kotas@intertek.com**

Cc E-Mail:

Invoice To: **PSI Latham Accounts Payable**

Invoice E-Mail: **LathamAR@intertek.com**

Purchase Order # (if applicable):

Quote #: **CR-BOCES RCO #23-057**



Scan QR Code for instructions

LAB USE ONLY - Affix Workorder/Login Label Here

Specify Container Size **

Identify Container Preservative Type***

Analysis Requested

** Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCores, (8) Terracore, (9) Other

*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Proj. Mgr:
Lori Beyer
 AcctNum / Client ID:
AR 70-102260
 Table #:
10367
 Profile / Template:
10367
 Prelog / Bottle Ord. ID:

Lab Use Only

Sample Comment

200.8 Drinking Water (Pb only)

X

Preservation non-conformance identified for

Number & Type of Containers

Plastic Glass

1

Res. CLZ

Time

Date

Composite End

Time

Date

Collected (or Composite Start)

Time

Date

10/29/24 7:15

10/29/24 7:15

10/30/24 6:40

10/30/24 6:40

10/30/24 6:40

10/30/24 6:45

10/30/24 7:05

Customer Remarks / Special Conditions / Possible Hazards:

Lead

Additional Instructions from Pace:

Collected By: **Richard Paszkiewicz**

Signature:

Received by/Company: **PSI**

Signature:

Received by/Company: **PSI**

Signature:

Received by/Company: **PSI**

Signature:

Received by/Company: **PSI**

Signature:

Received by/Company: **PSI**

Signature:

Tracking Number:

7/10/10, 45

Date/Time:

11/10/24 10:45am

Date/Time:

10/30/24 16:45

Date/Time:

11/17/24 7:00

Date/Time:

Delivered by: [] In-Person [] Courier

[] FedEx [] UPS [] Other

Page: **7** of **7**

W0#: 70321585

Client Name:

Project #

PM: LAB Due Date: 11/21/24
CLIENT: INTER-LATHAM

Inter-Latham

Courier: Fed Ex UPS USPS Client Commercial Pac Other

Tracking #:

Custody Seal on Cooler/Box Present: Yes No Seals intact: Yes No Temperature Blank Present: Yes No
Packing Material: Bubble Wrap Bubble Bags Ziplo Non Other Type of Ice: Wet Blue None

Thermometer Used: *TH211* Correction Factor: *+0.3* Samples on ice, cooling process has begun
Cooler Temperature (°C): *17.4* Cooler Temperature Corrected (°C): *17.7* Date/Time 5035A kits placed in freezer _____
Temp should be above freezing to 5.0°C

USDA Regulated Soil (N/A, water sample)

Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX, or VA (check map)? Yes No

Did samples originate from a foreign source including Hawaii and Puerto Rico? Yes No

If Yes to either question, fill out a Regulated Soil Checklist (ENV-FRM-MELV-0076) and include with SCUR/COC paperwork.

Date and Initials of person examining contents: *SH 11/7/24*

	COMMENTS:
Chain of Custody Present: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	1.
Chain of Custody Filled Out: <i>W/initials</i> <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	2.
Chain of Custody Relinquished: <input type="checkbox"/> Yes <input type="checkbox"/> No	3.
Sampler Name & Signature on COC: <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
Short Hold Time Analysis (<72hr): <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume: (Triple volume provided for MS/MSD) <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	8.
Correct Containers Used: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Containers Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	11.
Filtered volume received for Dissolved tests <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11. Note: if sediment is visible in the dissolved container.
Sample Labels match COC: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	12.
-Includes date/time/ID/Analysis Matrix: <i>SL WT OIL OTHER</i>	

Date and Initials of person checking preservation: *SH 11/7/24*

All containers needing preservation have been <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.	<input type="checkbox"/> HNO ₃ <input type="checkbox"/> H ₂ SO ₄ <input type="checkbox"/> NaOH <input type="checkbox"/> HCl
pH paper Lot # <i>205374</i>	Sample #	
All containers needing preservation are found to be in compliance with method recommendation? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Initial when completed:	Lot # of added preservative:
(HNO ₃ , H ₂ SO ₄ , HCl, NaOH>9 Sulfide, <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Date/Time preservative added:	
NAOH>12 Cyanide)		
Exceptions: VOA, Coliform, TOC/DOC, Oil and Grease, DRO/8015 (water).	14.	
Per Method, VOA pH is checked after analysis	Positive for Res. Chlorine? Y N	
Samples checked for dechlorination: <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	15.	
KI starch test strips Lot #	Positive for Sulfide? Y N	
Residual chlorine strips Lot #		
SM 4500 CN samples checked for sul <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	16.	
Lead Acetate Strips Lot #	17.	
Headspace in ALK Bottle (>6mm): <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A		
Headspace in VOA Vials (>6mm): <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A		
Trip Blank Present: <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A		
Trip Blank Custody Seals Present <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A		

Client Notification/ Resolution:

Field Data Required? Y I N

Person Contacted:

Date/Time:

Comments/ Resolution: *we did not receive sample "P5-B6B-B"*

* PM (Project Manager) review (which includes the SCUR) is documented electronically in LIMS.